

Mitteilungen aus dem Geologisch-Paläontologischen Institut der Universität Hamburg

38.1969 - 90.2006

38.1969

Heie, O. E. (1969). The Baltic amber Aphidoidea of the Geologisches Staatsinstitut of Hamburg. 38, S. 143-151

Kaerlein, F. (1969). Bibliographie der Geschiebe des pleistozänen Vereisungsgebietes Nordeuropas. Translated Title: Bibliography of the boulders in the area of Pleistocene glaciation in northern Europe. 38, S. 117

Meixner, H., & Thiedig, F. (1969). Eine bemerkenswerte Zeolith-Paragenese in einem Olivin-Melilitit der Trapp-Serie südwestlich Asmara/Eritrea (Äthiopien). Translated Title: An unusual zeolite paragenesis in an olivine melilitite of the trap series southwest of Asmara (Eritrea), Ethiopia. 38, S. 135-141

Valeton, I. (1969). Braunerde-Vertisol-Catena des Wochecha-Gebietes westlich Addis Ababa (Äthiopien). Translated Title: Brown soil-vertisol catena of the Wochecha area west of Addis Ababa, Ethiopia. 38, S. 119-133

39.1970

Ernst, G. (1970). Zur Stammesgeschichte und stratigraphischen Bedeutung der Echiniden-Gattung *Micraster* in der nordwestdeutschen Oberkreide. Translated Title: The phylogeny and stratigraphic significance of the echinoid genus *Micraster* in the upper Cretaceous of northwest Germany. 39, S. 117-135

Thiedig, F. (1970). Verbreitung, Ausbildung und stratigraphische Einstufung neogener Rotlehme und Grobschotter in Ostkaernten (Österreich). Translated Title: Distribution, development, and stratigraphic position of upper Tertiary red earths and coarse gravels in eastern Carinthia, Austria. 39, S. 97-116

Voigt, E., & Flor, F. D. (1970). Homöomorphien bei fossilen cyclostomen Bryozoen, dargestellt am Beispiel der Gattung *Spiropora* Lamouroux 1821. Translated Title: Homeomorphy in fossil cyclostome bryozoans, as exemplified by the genus *Spiropora*. 39, S. 96

40.1971

Hillmer, G. (1971). Bryozoen (Cyclostomata) aus dem Unter-Hauterive von Nordwestdeutschland. Translated Title: Bryozoa (Cyclostomata) from the lower Hauterivian of northwestern Germany. 40, S. 106

Kleinschmidt, G. (1971). Leithorizonte im Kaerntner Kristallin, Bedeutung und Deutung. Translated Title: Marker horizons in the crystalline complex of Carinthia; their importance and interpretation. 40, S. 131-150

Schulz, M.-G., & Weitschat, W. (1971). Asteroideen aus der Schreibkreide von Laegerdorf (Holstein) und Hemmoor (N. Niedersachsen). Translated Title: Asteroidea from the Chalk of Laegerdorf, Holstein, and Hemmoor, northern Lower Saxony. *40*, S. 107-130

41.1972

Flor, F. D. (1972). Biometrische Untersuchungen zur Autoökologie ober-kretazischer Bryozoen. Translated Title: Biometric studies bearing on the autecology of upper Cretaceous bryozoans. *41*, S. 15-128

Kadner, M. R. (1972). Zwei neue Vorkommen von *Psiloceras planorbis* (Sow.) im nordöstlichen Nordrhein-Westfalen (Lippe). Translated Title: Two new occurrences of *Psiloceras planorbis* in the Lippe region, northeastern North Rhine-Westphalia. *41*, S. 129-131

Lehmann, U. (1972). Walter Haentzschel, 16.11.1904-10.5.1972; Ein Nachruf. Translated Title: Memorial to Walter Haentzschel. *41*, S. 14

Schulz, M.-G. (1972). Feinstratigraphie und Zyklengliederung des Unteren Muschelkalks in N-Hessen. Translated Title: Detailed stratigraphy and cyclic sequences in the lower Muschelkalk of northern Hesse. *41*, S. 133-170

Valeton, I., Loehnert, E., & Khoo, F. (1972). Genese pleistozäner Rottone im Raume Hamburg. Translated Title: The genesis of Pleistocene red clays in the Hamburg area. *41*, S. 171-184

42.1973

Fehlau, K.-P. (1973). Sedimentpetrologie der Truemmereisenerz-Lagerstätte von Bulten-Adenstedt (Oberkreide, NW-Deutschland). Translated Title: The sedimentary petrology of the iron ore deposits of Bulten-Adenstedt; upper Cretaceous, northwestern Germany. *42*, S. 81-160

Hillmer, G., & Schulz, M.-G. (1973). Ableitung der Biologie und Ökologie eines Polychaeten der Oberkreide durch Analyse des Bohrganges *Ramosulcichnus biforans* (Gripp) nov. ichnogen. Translated Title: The biology and ecology of a polychaete of the upper Cretaceous through the analysis of core material of *Ramosulcichnus biforans*; new ichnogenus. *42*, S. 24

Hinsch, W. (1973). Biostratigraphie des Miozäns im Kreis Pinneberg. Translated Title: The Miocene biostratigraphy of the Pinneberg area, Germany. *42*, S. 25-56

Lehmann, U. (1973). Zur Paläogeographie des Nordatlantiks im Tertiär. Translated Title: The Tertiary paleogeography of the north Atlantic. *42*, S. 57-69

Thiedig, F., & Lehmann, U. (1973). Die Entstehung von Muren als säkulares Ereignis auf Spitzbergen (Svalbard) und ihre Bedeutung für die Denudation in der Frostschuttzone. Translated Title: The genesis of debris flows as a secular event on Spitsbergen Island and its importance for denudation in the periglacial region. *42*, S. 71-80

43.1974

- Ernst, G., & Schulz, M. G.** (1974). Stratigraphie und Fauna des Coniac und Santon im Schreiebkreide-Richtprofil von Laegerdorf (Holstein). Translated Title: Stratigraphy and fauna of the Coniacian and Santonian in the Chalk section of Laegersdorf; Holstein. 43. S. 60
- Fiedler, K.** (1974). Linsige Zerschierung in Kalken. Translated Title: Lenticular shear in limestone. 43. S. 173-194
- Homci, H.** (1974). Jungpleistozäne Tunneltäler im Nordosten von Hamburg (Rahlstedt-Meiendorf). Translated Title: Upper Pleistocene tunnel valleys in the northeastern Hamburg region; Rahlstedt-Meiendorf. 43. S. 99-126
- Kruck, W.** (1974). Querplattung im Muschelkalk Nordwestdeutschlands. Translated Title: "Querplattung" in the Muschelkalk of Northwest Germany. 43. S. 127-172
- Thiedig, F., & Klusmann, D.** (1974). Limnisches Oberkarbon an der Basis der postvariskischen Transgressionsserie in den St. Pauler Bergen Ostkaerntens (Oesterreich). Translated Title: Limnic Upper Carboniferous at the base of the post-Variscan transgression series in the Saint Paul Mountains of eastern Carinthia; Austria. 43. S. 79-84
- Valeton, I., & Abdul-Razzak, A.** (1974). Der Glaukonit aus dem Essener Gruensand (Cenoman-Kr c (sub 2-3)) in Essen. Translated Title: Glauconite from the Essen Greensand (Cenomanian Kr c (sub 2-3)) in Essen. 43. S. 85-97
- Vortisch, W., & Lindstroem, M.** (1974). Der Surlap-Schiefer (Mittelordovizium); Ein Ursprungsgestein nordischer Kieselschiefer-Geschiebe. Translated Title: The Surlap Shale (Middle Ordovician); rock origin of Nordic siliceous schist boulders. 43. S. 75-78
- Weitschat, W.** (1974). Pergensella geniculata (v. Hagenow) [Bryoz. Cycl.] in Schreiebkreide- und Tuffkreide-Fazies. Translated Title: Pergensella geniculata (Bryozoa, Cyclostomata) in Schreiebkreide and Tuffkreide facies. 43. S. 61-73

44.1975

Festband Ehrhard Voigt: zur Vollendung des 70. Lebensjahres am 28. Juli 1975. Herausgegeben von Gero Hillmer

- Alberti, G. K. B.** (1975). Zur palaeozoogeographischen Verbreitung von Warburgella rugulosa (Alth 1874) (Trilobitae, Devon-Basis). Translated Title: Paleozoogeographic distribution of Warburgella rugulosa; Trilobita, Devonian base. 44. S. 1-10
- Averdieck, F.-R.** (1975). Zum Alter der Torf- und Sedimentaufschlüsse vom Autobahnbau bei Hittfeld. Translated Title: Age of peat and sediment outcrops from highway construction near Hittfeld. 44. S. 285-290
- Backhaus, E.** (1975). Schraegschichtungsmessungen im Grenzbereich des Mittleren/Oberen Buntsandsteins des Drachenfels (Pfalz). Translated Title: Cross-bedding measurements in the middle/upper Bunter boundary zone at Drachenfels; Palatinate. 44. S. 291-307

- Bettenstaedt, F., & Spiegler, D.** (1975). Zur Evolution von Lagen (Foram.) in der tieferen Unterkreide NW-Deutschlands. Translated Title: The evolution of Lagen (foraminifera) in the lowermost Cretaceous of northwestern Germany. 44. S. 11-44
- Buge, E.** (1975). Les Bryozoaires de l'Oligocene du Bassin de Paris et leurs relations avec les faunes des bassins oligocenes d'Europe. Translated Title: Bryozoans from the Oligocene of the Paris Basin and their relationship with Oligocene basins of Europe. 44. S. 45-58
- Engels, B.** (1975). Strukturgeologische Untersuchungsergebnisse im Bereich der Fallesin- und Griesstaler-Spitze (Lechtaler Alpen). Translated Title: Results of structural geology studies of the Fallesin and Griesstaler Spitze; Lechtal Alps. 44. S. 309-329
- Erben, H. K., & Flajs, G.** (1975). Ueber die Cicatrix der Nautiloideen. Translated Title: The cicatrix of nautiloids. 44. S. 59-68
- Ernst, G.** (1975). Stratigraphie, Fauna und Sedimentologie der Oberkreide von Misburg und Hoever bei Hannover (Exkursionsfuehrer). Translated Title: Stratigraphy, fauna, and sedimentology of the Upper Cretaceous of Misburg and Hoever near Hanover; guidebook. 44. S. 69-97
- Fiedler, K.** (1975). Lackfilme im geologischen Unterricht. Translated Title: Lacquer films in geological teaching. 44. S. 331-342
- Flor, F. D.** (1975). *Discotruncatulipora corbis* n. g. n. sp. (Bryoz. Cycl.). Translated Title: *Discotruncatulipora corbis* n. g. n. sp. (Bryozoa, Cyclostomata) from the Upper Cretaceous. 44. S. 99-110
- Glashoff, H., & Scholz, R. W.** (1975). Literaturinformation und -dokumentation in den Geowissenschaften. Translated Title: Literature information and documentation in the geosciences. 44. S. 343-352
- Grube, F., & Ehlers, J.** (1975). Pleistozane Flusssedimente im Hamburger Raum. Translated Title: Pleistocene river sediments in the Hamburg region. 44. S. 353-382
- Heller, F.** (1975). Ein neuer Vertreter des *Ursus deningeri*-Formenkreises aus der altquartaeren Wirbeltierfauna von Erpfingen (Schwaebische Alb). Translated Title: A new representative of the *Ursus deningeri* group of the lower Quaternary vertebrate fauna of Erpfingen; Swabian Alb. 44. S. 111-122
- Hillmer, G., Gautier, T. G., & McKinney, F. K.** (1975). Budding by intrazooecial fission in the stenolaemate bryozoans *Stenoporella*, *Reptomulticava* and *Canalipora*. 44. S. 123-132
- Hillmer, G.** (1975). Der Forscher und Lehrer Ehrhard Voigt. Translated Title: The scientist and teacher Ehrhard Voigt. 44. S. p. XI-XXII
- Hinsch, W.** (1975). Praequartaerer Untergrund und glaziale Rinnen in Suedholstein. Translated Title: Pre-Quaternary basement and glacial channels in southeastern Holstein. 44. S. 383-402

- Hoelder, H.** (1975). Ueber Geschichte und Stand der Thecideen-Forschung (Thecideida, Brachiopoda articulata). Translated Title: History and state of thecideid research; Thecideida, articulate Brachiopoda. 44. S. 133-152
- Illies, G.** (1975). Ueber die Knospungsmuster von Stomatopora-Kolonien [Bryoz. Cycl.] aus dem Untermaastricht von Rügen. Translated Title: Budding patterns of Stomatopora colonies (Bryozoa, Cyclostomata) of the lower Maestrichtian of Rügen. 44. S. 153-160
- Illies, H.** (1975). Rheingraben und Alpen; Wechselbeziehungen zwischen Taphrogenese und Orogenese. Translated Title: Rhine Graben and Alps; relationship between taphrogeny and orogeny. 44. S. 403-409
- Klassen, H.** (1975). Aufbau, Genese und stratigraphische Bedeutung der Siderit-Sphaeroide im Grenzbereich Dogger/Malm. Translated Title: Structure, genesis, and stratigraphic significance of siderite spheroids in the Dogger/Malm boundary zone. 44. S. 411-416
- Kolbe, H.** (1975). Schichtenfolge im Oberjura-Eisenerz-Aufschlussgebiet der Schachanlage Konrad der Salzgitter Erzbergbau A. G.. Translated Title: Stratigraphy of the Upper Jurassic iron ore deposit of the Konrad shaft of Salzgitter Erzbergbau. 44. S. 161-193
- Kruck, W., & Wolff, F.** (1975). Ergebnisse einer Fazieskartierung im Schilfsandstein des Weserberglandes. Translated Title: Results of facies mapping in the Schilf Sandstone of the Weser Upland. 44. S. 417-421
- Lehmann, U.** (1975). Ueber Biologie und Gehäusebau bei Dactylioceras (Ammonoidea) aufgrund einer Fraktur-Analyse. Translated Title: Biology and shell structure of Dactylioceras (Ammonoidea) based on fracture analysis. 44. S. 195-206
- Lorenz, W.** (1975). Zur Lithostratigraphie und Sedimentologie des Korallenoolith (Malm) im Wiehengebirge (NW-Deutschland). Translated Title: Lithostratigraphy and sedimentology of the Korallen Oolite (Malm) in the Wiehen Mountains; Northwest Germany. 44. S. 423-447
- Nagel, J.** (1975). Faltung und Mächtigkeit. Translated Title: Folding and thickness. 44. S. 449-468
- Nauke, M.** (1975). Zur Sedimentologie des Unterkimmeridge im westlichen Weser- und Wiehengebirge. Translated Title: Sedimentology of the lower Kimmeridgian in the western Weser and Wiehen mountains. 44. S. 469-494
- Pozaryska, K., & Brochwicz-Lewinski, W.** (1975). The nature and origin of Mesozoic and early Cenozoic marine faunal provinces; some reflections. 44. S. 207-216
- Regenhardt, H.** (1975). Konvergente Formen unter glazigenen Kehlgeschieben und artifiziellen Nasensteinen Heidelberger Industrien im Pleistozän Norddeutschlands. Translated Title: Convergent forms of glazigene "Kehlgeschiebe" and artificial "Nasensteine" of Heidelberg industries in the Pleistocene of northern Germany. 44. S. 531-536

- Samtleben, C.** (1975). Zum Schalenbau von Spiriferen-Armgeruesten. Translated Title: Shell structure of spiriferoid brachial supports. 44. S. 217-224
- Schmid, F.** (1975). Crinoiden-Stielglieder aus dem Maastricht Nordwestdeutschlands und ihre biostratigraphische Auswertung. Translated Title: Crinoid stem segments from the Maestrichtian of Northwest Germany and their biostratigraphical interpretation. 44. S. 235-248
- Schulz, M.-G., & Weitschat, W.** (1975). Phylogenie und Stratigraphie der Asteroideen der nordwestdeutschen Schreiekreide; Teil I, Metopaster/Recurvaster- und Calliderma/Chomataster-Gruppe. Translated Title: Phylogeny and stratigraphy of asteroids of the Northwest German Chalk; Part I, Metopaster/Recurvaster and Calliderma/Chomataster groups. 44. S. 249-284
- Spaeth, C.** (1975). Zwei fossile Arten holzbohrender Pholadiden aus der Unterkreide von Helgoland. Translated Title: Two fossil species of wood-boring pholadids from the Lower Cretaceous of Helgoland. 44. S. 225-234
- Thiedig, F.** (1975). Submarine Brekzien als Folge von Felsstuerzen in der Turbidit-Fazies der Oberkreide des Krappfeldes in Kaernten (Oesterreich). Translated Title: Submarine breccia resulting from rockfalls in the Upper Cretaceous turbidite facies of the Krappfeld in Carinthia; Austria. 44. S. 495-516
- Thiermann, A.** (1975). Zur Geologie der Erdfaelle des "Heiligen Feldes" im Tecklenburger Land/Westfalen. Translated Title: Geology of collapse structures of the Heiligen Feld in the Tecklenburger Land; Westphalia. 44. S. 517-530
- Valeton, I., & Abdul-Razzak, A.** (1975). Glaukonite der Oberkreide Nordwestdeutschlands. Translated Title: Glauconites from the Upper Cretaceous of Northwest Germany. 44. S. 537-556
- Wiesemann, G.** (1975). Remarks on the geologic structure of the Republic of El Salvador, Central America. 44. S. 557-574

45.1976

- Erdtmann, B.-D.** (1976). Die Graptolithenfauna der Exploits Gruppe (Oberes Ordovizium, Caradoc) von Zentral-Neufundland. Translated Title: The graptolite fauna of the Exploits Group (Upper Ordovician, Caradocian) of central Newfoundland. 45. S. 65-140
- Kutscher, F.** (1976). Georg Guerich, der Beschreiber des "Scheinstern" *Mimetaster rhenanus* aus dem unterdevonischen Hunsrueckschiefer des Hunsruecks (Forscher, Liebhaber und Sammler der Hunsrueckschiefer-Fossilien, 10). Translated Title: Georg Guerich, descriptor of the "Scheinstern" *Mimetaster rhenanus* from the Lower Devonian Hunsruck Shale of the Hunsruck; Researchers, amateurs, and collectors of Hunsruck Shale fossils, 10. 45. S. 7
- Paluska, A.** (1976). Fluviale Sedimente im Prager Becken. Translated Title: Fluvial sediments in the Prague Basin. 45. S. 29-63

Thiedig, F., & Wiedmann, J. (1976). Ammoniten und Alter der hoeheren Kreide (Gosau) des Krappfeldes in Kaernten (Oesterreich). Translated Title: Ammonites and age of the Upper Cretaceous (Gosau) of the Krappfeld, Carinthia, Austria. 45. S. 27

46.1976

Sonderband Alster: Die Hamburger Alster – geologische, hydrobiologische und wasserwirtschaftliche Entwicklung eines Stadtgewässers. Herausgegeben von Hubert Caspers, Egon T. Degens & Kurt Vollbrecht

Averdieck, F. R. (1976). Palynologische Untersuchungen zur Altersbestimmung und Vegetationsgeschichte des Alstertals. Translated Title: Palynological studies on age and vegetational history of the Alster Valley. 46. S. 81-89

Baumann, D., Mahnke, J., & Stegmann, H. (1976). Wasserwirtschaft und Wasserbau im Bereich der Alsterbecken Geschichte und Entwicklung. Translated Title: Water management and water works in the Alster Basin; history and development. 46. S. 239-265

Caspers, H., & Penzhorn, H. (1976). Trophie und Saprobitaet Guetebeurteilung der Hamburger Stadtgewaesser. Translated Title: Trophic and saprobic properties; quality assessment of Hamburg city waters. 46. S. 413-431

Caspers, H. (1976). Hydrobiologische Entwicklung und biocoenotische Struktur der Hamburger Stadtgewaesser. Translated Title: Hydrobiological evolution and biocenotic structure of the Hamburg city waters. 46. S. 267-354

Garrasi, C., Degens, E. T., & Gerhard, H. (1976). Die Oberflaechensedimente der Binnen- und Aussenalster. Translated Title: Surface sediments of the inner and outer Alster. 46. S. 97-103

Grube, F., Vladi, F., & Vollmer, T. (1976). Erdgeschichtliche Entwicklung des unteren Alstertales. Translated Title: Geologic evolution of the lower Alster Valley. 46. S. 43-56

Kempe, S. (1976). Zur Geohydrochemie des Alsterbeckens. Translated Title: Geohydrochemistry of the Alster Basin. 46. S. 199-238

Michaelis, W., Degens, E. T., Schallreuter, K., Zakrzewska, K., Buch, B., & Koenig, I. (1976). Harnstoff im Alsterwasser. Translated Title: Urea in Alster water. 46. S. 189-197

Michaelis, W., Mopper, K., Garrasi, C., & Degens, E. T. (1976). Organische Substanzen im Sediment und Wasser der Hamburger Alster. Translated Title: Organic substances in sediment and water of the Hamburg outer Alster. 46. S. 173-188

Paluska, A., & Degens, E. T. (1976). Landschaftliche Veraenderungen des unteren Alstertales; ein Abbild der Klimaentwicklung seit der letzten Eiszeit. Translated Title: Landscape changes of the lower Alster Valley; an image of the climatic development since the last ice age. 46. S. 14

Paluska, A. (1976). Mittel- und jungpleistozäne Sedimente der Alster und ihre Bedeutung fuer die Genese und Stratigraphie des Elbtales. Translated Title: Middle and upper Pleistocene Alster sediments and their significance for the genesis and stratigraphy of the Elbe Valley. 46. S. 57-80

Paluska, A. (1976). Unterlauf der Alster im Holozän und in historischer Zeit. Translated Title: The lower course of the Alster in the Holocene and in historical times. 46. S. 15-42

Penzhorn, H. (1976). Populationsdynamik und trophische Struktur des Planktons Hamburger Stadtgewässers. Translated Title: Population dynamics and trophic structure of plankton of the Hamburg city waters. 46. S. 355-411

Schirmer, F., & Apel, W. (1976). Schall-Untersuchungen an Sedimentkernen der Hamburger Aussenalster. Translated Title: Acoustical surveys of sediment cores from the Hamburg outer Alster. 46. S. 105-114

Sebulke, J., & Bischoff, J. (1976). Geoelektrische Sondierungen in der Aussenalster. Translated Title: Geoelectrical surveys in outer Alster. 46. S. 123-137

Theilen, F., Figge, K., & Meissner, R. (1976). Flachseismische Untersuchungen in der Hamburger Aussenalster. Translated Title: Shallow seismic surveys in the Hamburg outer Alster. 46. S. 115-121

Valeton, I., & Khoo, F. (1976). Petrographie und Geochemie des schwarzen Schlickes in der Aussenalster. Translated Title: Petrography and geochemistry of the black mud in the outer Alster. 46. S. 139-171

Vollbrecht, K., & Degens, E. T. (1976). Alsterexperiment; Organisation und Ablauf. Translated Title: Alster experiment; organization and implementation. 46. S. 3

Willkomm, H., & Erlenkeuser, H. (1976). Radiokohlenstoff-Untersuchungen an Sedimenten der Aussenalster. Translated Title: Radiocarbon studies of sediments from the outer Alster. 46. S. 91-96

47.1977

Behrens, M. (1977). Zur Stereometrie von Geroellen. Translated Title: Stereometry of pebbles. 47, S. 124

Kempe, S. (1977). Hydrographie, Warven-Chronologie und organische Geochemie des Van Sees, Ost-Türkei. Translated Title: Hydrology, varve-chronology and organic geochemistry of Lake Van, eastern Turkey. 47, S. 125-228

Leggewie, R., & Thiedig, F. (1977). Oberkreide-Sedimente am Ostrand des Krappfeldes (Kärnten, Oesterreich). Translated Title: Upper Cretaceous sediments on the eastern border of the Krappfeld; Carinthia, Austria. 48, S. 229-246

48.1978

- Ehlers, J.** (1978). Vor dem Eisrand abgelagerte Sedimente; Beispiele aus dem noerdlichen Niedersachsen. Translated Title: The deposition of sediments at glacial margins; examples from northern Lower Saxony. 48, S. 17-32
- Ernst, H.** (1978). Zu Bathymetrie und Sedimentstrukturen der Schreibkreide von Laegerdorf/Holstein (Coniac-Santon); eine quantitative Analyse der Foraminiferen-Faunen. Translated Title: The bathymetry and sedimentary structures of the Cretaceous of Laegersdorf, Holstein (Coniacian-Santonian); a quantitative analysis of the foraminifera fauna. 48, S. 53-78
- Garagunis, C.** (1978). Beitrag zu ingenieurgeologischen Problemen bei Stauseeanlagen in Flyschgebieten (Westgriechenland). Translated Title: Engineering geology problems near reservoir sites in flysch regions, western Greece. 48, S. 43-49
- Gaziry, A. W.** (1978). Phylogenie der Trilophodonten (Mastodonten) des Jungtertiaers Anatoliens. Translated Title: Phylogeny of Trilophodons (mastodons) from the upper Tertiary of Anatolia. 48, S. 115-118
- Khoo, F.** (1978). Measurements of redox-potential; a discussion. 48, S. 51-52
- Lehmann, U.** (1978). Eine Platte mit Faehrten von Iguanoden aus dem Obernkirchener Sandstein (Wealden). Translated Title: A slab with Iguanodon footprints from the Obernkirchen Sandstone, Wealden. 48. S. 101-114
- Lehmann, U.** (1978). Ueber den Kieferapparat von Ammoniten der Gattung Parkinsonia. Translated Title: The jaw apparatus of ammonites of the genus Parkinsonia. 48. S. 79-84
- Schwarz, H. U.** (1978). Die Grenzen der aktualistischen Arbeitsweise in der modernen Geologie. Translated Title: The limits of actualistic research methods in modern geology. 48, S. 15
- Thiedig, F., & von Hacht, U.** (1978). Ueber Fulgurite-und Berichte ueber Funde von Blitzroehren auf Sylt (Schleswig-Holstein). Translated Title: Fulgurite and fulgurite deposits on Sylt, Schleswig-Holstein. 48, S. 33-42
- Voigt, E.** (1978). Die Bryozoengenera Pustulopora de Blainville und Cyrtopora v. Hagenow aus der Maastrichter Tuffkreide. Translated Title: The bryozoan genera Pustulopora and Cyrtopora from the Maestrichtian chalk tuff. 48, S. 119-134
- Weitschat, W., & Lehmann, U.** (1978). Biostratigraphy of the uppermost part of the Smithian Stage (Lower Triassic) at the Botneheia, W-Spitsbergen. 48, S. 85-100

49.1979

- Arikas, K.** (1979). Geologische und petrographische Untersuchungen in der Umgebung von Kirki (Thrazien, Griechenland). Translated Title: Geological and petrographical studies in the Kirki region; Thrace, Greece. 49, S. 26

Degens, E. T., von Bronsart, G., How Kin, W., Khoo, F., & Dickmann, M. D. (1979). Environmental parameters responsible for the fixation of uranium in Recent sediments; test area Bow Lake, Ontario, Canada, Part I. *49*, S. 27-60

Knudsen, K. L. (1979). Foraminiferal faunas in marine Holsteinian Interglacial deposits of Hamburg-Hummelsbuettel. *49*, S. 193-214

Paluska, A., & Degens, E. T. (1979). Das Quartaer des Kaspischen Kuestenvorlandes; Kartierung im Iran; Teil 1. Translated Title: The Quaternary of the Caspian coastal foreland; mapping in Iran; Part 1. *49*, S. 61-134

Thiedig, F. (1979). Das Tertiaer von Renardodden (Oestlich Kapp Lyell, Westspitzbergen, Svalbard). Translated Title: The Tertiary of Renardodden; East Cape Lyell, Vestspitsbergen, Svalbard. *49*, S. 135-146

Valeton, I. (1979). Zur Petrographie und Geochemie des Holstein-Interglazials von Hamburg-Hummelsbuettel. Translated Title: Petrography and geochemistry of the Holsteinian Interglacial of Hamburg-Hummelsbuttel. *49*, S. 175-192

Valeton, I., & Khoo, F. (1979). Zur Geochemie umweltrelevanter Spurenelemente in der Elbe zwischen Lauenburg und Hamburg. Translated Title: Geochemistry of environmentally relevant trace elements in the Elbe River between Lauenburg and Hamburg. *49*, S. 147-174

50.1980

Alberti, G. (1980). Zur biostratigraphischen Gliederung der Wissenbacher Schiefer (Unter- und Mittel-Devon) des oestlichen Rheinischen Schiefergebirges mit Tentaculiten (Dacryoconarida) und Trilobiten. Translated Title: The biostratigraphic sequence in the Wissenbach Shales (Lower and Middle Devonian) from the eastern Rhenish Schiefergebirge with Tentaculites (Dacryoconarida) and trilobites. *50*, S. 77-90

Anonymous B1 - Degens, E. T. (1980). Gruppenbericht; Hamburger Arbeitskonferenz; Ebbe-Antiklinorium. Translated Title: Group report; Hamburg working conference; Ebbe Anticlinorium. *50*, S. 16

Bloch, J. B. D. E. T. (1980). Zur Tektonik des suedlichen Teilsattels des Ebbe-Antiklinoriums (Rheinisches Schiefergebirge). Translated Title: The tectonics of the southern part of the Ebbe Anticlinorium, Rhenish Schiefergebirge. *50*, S. 239-248

Boeger, H. (1980). Stratigraphische, fazielle und tektonische Zusammenhaenge im Unter-Devon des Sauerlandes (Rheinisches Schiefergebirge) und der Kaledonisch-Variszische Umschwung. Translated Title: Stratigraphic, facial and tectonic relationships of the Lower Devonian in Sauerland (Rhenish Schiefergebirge) and the Caledonian-Variscan transition. *50*, S. 45-58

Buch, B. (1980). Zur Lithostratigraphie des terrestrischen Unterdevons im Kern des Ebbe-Sattels (Sauerland); Ergebnisse einer Spezialekartierung auf Blatt 4812 Herscheid im nordoestlichen Rheinischen Schiefergebirge. Translated Title: The lithostratigraphy of

the terrestrial Lower Devonian in the central part of the Ebbe Anticline, Sauerland; results from special mapping of sheet 4812 Herscheid in the northeastern Rhenish Schiefergebirge. *50*, S. 273-282

Eiserhardt, K.-H., Heyckendorf, K., & Thombansen, E. (1980). Zur Stratigraphie und Tektonik des noerdlichen Ebbe-Teilsattels (Sauerland, Rheinisches Schiefergebirge). Translated Title: Stratigraphy and tectonics of the northern Ebbe Anticline, Sauerland, Rhenish Schiefergebirge. *50*, S. 199-238

Faghihi, A. (1980). Zum Vergleich der Basaltvorkommen im zentralen Ebbe-Sattel. Translated Title: Comparison of basalts in the central Ebbe Anticline. *50*, S. 251-264

Grabert, H., & Stadler, G. (1980). Eisenerzfuehrende Konglomerate im Unter-Devon der Nordhelle/Ebbe-Gebirge (Rheinisches Schiefergebirge). Translated Title: Iron ore-bearing conglomerates from the Lower Devonian of the northern Helle/Ebbe Mountains; Rhenish Schiefergebirge. *50*, S. 123-134

Koenig, I. (1980). Vorlaeufige Kartierergebnisse im Unterdevon zwischen Herscheid und Meinerzhagen (Ebbe-Antiklinorium). Translated Title: Preliminary mapping in the Lower Devonian between Herscheid and Meinerzhagen, Ebbe Anticlinorium. *50*, S. 249-250

Michaelis, W., Wiesner, M. G., & Degens, E. T. (1980). Organisch-geochemische Untersuchungen der ordovizischen Plettenberger Baenderschiefer (Ebbe-Antiklinorium, Sauerland). Translated Title: Organo-geochemical investigations in the Ordovician Plettenberger banded shale, Ebbe Anticlinorium, Sauerland. *50*, S. 191-197

Semerak, H.-C. (1980). Zur Stratigraphie des Unter-Devons im Kernbereich des westlichen Ebbe-Sattels. Translated Title: The Lower Devonian stratigraphy in the core region of the Ebbe Anticline, Rhenish Schiefergebirge. *50*, S. 109-122

Thams, H. (1980). Gebirgsbau und Faziesentwicklung im Kern des westlichen Abtauchbereiches des suedlichen Ebbe-Teilsattels. Translated Title: Mountain structure and facies development in the western termination of the southern Ebbe Anticline. *50*, S. 265-271

Timm, J., Degens, E. T., & Wiesner, M. G. (1980). Erlaeuterungen zur geologischen Karte des zentralen Ebbe-Antiklinorium 1:25 000. Translated Title: Explanation of the geologic map of the central Ebbe Anticlinorium, 1:25,000. *50*, S. 59-75

Timm, J. (1980). Die Faziesentwicklung der aeltesten Schichten des Ebbe-Antiklinoriums. Translated Title: Facies development in the oldest strata of the Ebbe Anticlinorium. *50*, S. 147-173

Timm, J. (1980). Zur Trilobitenstratigraphie des Silur/Devon-Grenzbereiches im Ebbe-Antiklinorium (Rheinisches Schiefergebirge). Translated Title: Trilobite stratigraphy of the Silurian-Devonian boundary region in the Ebbe Anticlinorium, Rhenish Schiefergebirge. *50*, S. 91-108

Wiesner, M. G. (1980). Geochemische Untersuchungen der Ockrigen Kalke aus dem Unterdevon des Ebbe-Antiklinoriums (Rheinisches Schiefergebirge). Translated Title: Geochemical

investigations of the Ochre Limestone in the Lower Devonian of the Ebbe Anticlinorium, Rhenish Schiefergebirge. *50*, S. 175-190

Wong, H. K., & Degens, E. T. (1980). Geotektonische Entwicklung des variszischen Faltungsguertels im Palaeozoikum. Translated Title: Geotectonic development of the Variscan fold belt in the Paleozoic. *50*, S. 17-44

Wulff, W. (1980). Petrographische Phaenomene des Bunte Ebbe-Komplexes am Suedrand des Ebbe-Antiklinoriums (Rheinisches Schiefergebirge). Translated Title: Petrographic phenomena of the Bunte Ebbe Complex on the southern border of the Ebbe Anticlinorium, Rhenish Schiefergebirge. *50*, S. 135-146

51.1981

Frank, J., & Hillmer, G. (1981). Geodokumentation; Philippinen. Translated Title: Geodocumentation; Philippines. *51*, S. 189-208

Garagunis, C., & Papaspyrou, S. (1981). Die problematik der Fundamentierung von Gebaeuden in Gebieten mit aggressiven geothermalen Waessern.; Ein Beitrag zur ingenieur-Geologie. Translated Title: Problem of foundations in regions of aggressive thermal waters; engineering geology. *51*, S. 209-214

Garagunis, C. N. (1981). Ingenieurgeologische Probleme bei der Erhaltung der alten byzantinischen Kirche "Pyrgos Panagitsas" auf Skopelos/Griechenland; Ein Beitrag zur technischen Ingenieurgeologie. Translated Title: Geotechnical problems of the conservation of the old Byzantine Chapel "Pyrgos Panagitsas" in Skopelos, Greece; a problem for the geotechnician. *51*, S. 215-222

Ittekkot, V. A. (1981). Verteilung von geloestem organischem Kohlenstoff, geloesten Zuckern und Aminosaeuren in Fladengrund, Noerdliche nordsee (Flex 1976). Translated Title: Distribution of dissolved organic matter, dissolved sugars and amino acids in Fladen Basin, northern North Sea. *51*, S. 115-187

Ristedt, H. (1981). Bactriten aus dem Obersilur Boehmens. Translated Title: Bactrites of the Upper Silurian of Bohemia. *51*, S. 23-26

Schallreuter, R. E. L. (1981). Ordovizische Ostrakoden Argentiniens. Translated Title: Ordovician ostracods of Argentina. *51*, S. 21

Schulz, M. G., & Weitschat, W. (1981). Phylogenie und Stratigraphie der Asteroideen der nordwestdeutschen Schreibkreide; Teil II, Crateraster/Teichaster-Gruppe und Gattung Ophryaster. Translated Title: Phylogeny and stratigraphy of Asteroida of the chalk of Northwest Germany; II, Crateraster/Teichaster and Ophryaster. *51*, S. 27-42

Taverne, L. (1981). Les Actinopterygiens de l'Aptien inferieur (Toeck) d'Helgoland. Translated Title: Actinopterygians of the lower Aptian of Helgoland. *51*, S. 43-82

Thiedig, F. (1981). Ulrich Lehmann; 65 Jahre. Translated Title: Ulrich Lehmann; 65th anniversary. 51, S. 7

Wunderlich, J. (1981). Fossile Zwerg-Sechsaugenspinnen (Oonopidae) der Gattung *Orchestina* SIMON, 1882 im Bernstein, mit Anmerkungen zur Sexual-Biologie (Arachnida: Araneae). Translated Title: Fossil Oonopidae of the genus *Orchestina* in amber with remarks on sexual biology; Arachnida, Araneae. 51, S. 83-113

52.1982

SCOPE/UNEP Sonderband: Transport of carbon and minerals in major world rivers, Part 1. Proceedings of a workshop arranged by the Scientific Committee on Problems of the Environment (SCOPE) and the United Nations Environment Programme (UNEP) at Hamburg University, March 8-12, 1982

Arain, R., & Khuhawar, M. Y. (1982). Carbon transport in the Indus River; preliminary results. 52, S. 449-456

Bloeker, G., & Thomsen, J. (1982). Continuous recording of temperature, conductivity and turbidity. 52, S. 615-631

Bloeker, G., & Thomsen, J. (1982). VALDIVIA cruise October 1981; Ca- and Mg-concentrations in the mixing zones of Elbe, Weser, and Ems rivers. 52, S. 605-613

Cauwet, G., & Martin, J. M. (1982). Organic carbon transported by French rivers. 52, S. 475-481

Chowdhury, M. I., Safiullah, S., Iqbal Ali, S. M., Mofizuddin, M., & Kabir, S. E. (1982). Carbon transport in the Ganges and the Brahmaputra; preliminary results. 52, S. 457-468

Degens, E. T., & Kempe, S. (1982). Riverine carbon; an outlook. 52, S. 757-765

Degens, E. (1982). Water chemistry of the Waikato River, New Zealand; 1981, Data collection. B1. 52, S. 469-473

Degens, E. T. (1982). Riverine carbon; an overview. 52, S. 12

Degens, E. T. (1982). VALDIVIA cruise October 81 (Elbe, Weser, Ems, German Bight); an introduction. 52, S. 585-764

Depetris, P. J., & Lenardon, A. M. L. (1982). Particulate and dissolved phases in the Parana River. 52, S. 385-395

Eisma, D., Cadee, G. C., Laane, R., & Kalf, J. (1982). Preliminary results of AURELIA- and NAVICULA-cruises in the Rhine- and Ems-estuaries, January-February, 1982. 52, S. 633-654

Eisma, D., Cadee, G. C., & Laane, R. (1982). Supply of suspended matter and particulate and dissolved organic carbon from the Rhine to the coastal North Sea. 52, S. 483-505

- Eisma, D.** (1982). Supply and dispersal of suspended matter from the Zaire River. 52, S. 419-428
- Emeis, K., & Stoffers, P.** (1982). Particulate suspended matter in the major world rivers; EDAX analysis, scanning electronmicroscopy and X-ray diffraction study of filters. 52, S. 529-554
- Hart, R. C.** (1982). The Orange River; preliminary results. 52
- Ittekkot, V., Spitzzy, A., & Lammerz, U.** (1982). Data on dissolved carbohydrates and amino acids in world rivers; a documentation. 52, S. 575-584
- Ittekkot, V., Spitzzy, A., & Lammerz, U.** (1982). VALDIVIA cruise October 1981; dissolved organic matter in the Elbe, Weser and Ems rivers and the German Bight. 52, S. 749-756
- Kempe, S.** (1982). VALDIVIA cruise, October 1981; carbonate equilibria in the estuaries of Elbe, Weser, Ems and in the southern German Bight. 52, S. 719-742
- Koch, R., Schoer, J., & Sioulas, A.** (1982). Semiquantitative mineral analysis of grain size fractions $< 3 \mu$, $< 2 \mu$, and suspended matter from the rivers Elbe, Weser, Ems and the North Sea. 52, S. 703-718
- Kronberg, B. I., Lammerz, U., Schuett, M., & de Jonge, V. N.** (1982). VALDIVIA cruise October 1981; mineral nutrients in the Elbe, Weser and Ems rivers and the German Bight. 52, S. 655-666
- Leenheer, J. A.** (1982). United States Geological Survey data information service. 52, S. 355-356
- Martins, O.** (1982). Geochemistry of the Niger River. 52, S. 397-418
- Michaelis, W., & Ittekkot, V.** (1982). Biogeochemistry of rivers; field and analytical techniques. 52, S. 69-89
- Mook, W. G.** (1982). The oxygen-18 content of rivers. 52, S. 565-570
- Mycke, B.** (1982). Preliminary results on free dissolved phenolic compounds in natural waters. 52, S. 571-574
- Nemeth, A., Paolini, J., & Herrera, R.** (1982). Carbon transport in the Orinoco River; preliminary results. 52, S. 357-364
- Paredes, J. F.** (1982). TOC and other hydrochemical parameters of the Paraguacu/Bahia, Brazil, before the building of the Pedra do Cavallo Dam. 52, S. 379-382
- Pocklington, R.** (1982). Carbon transport in major world rivers; the St. Lawrence, Canada. 52, S. 347-353
- Reuschel, A. G., & Forster, H. P.** (1982). Records of TOC and other hydrochemical parameters of the Danube at Vienna, 1978-1981. 52, S. 507-522

- Richey, J. E.** (1982). The Amazon River system; a biogeochemical model. 52, S. 365-378
- Schoer, J., & Eggersgluess, D.** (1982). Chemical forms of heavy metals in sediments and suspended matter of Weser, Elbe and Ems rivers. 52, S. 667-685
- Schoer, J., Nagel, U., Eggersgluess, D., & Foerstner, U.** (1982). Metal contents in sediments from the Elbe, Weser and Ems estuaries and from the German Bight (southeastern North Sea); grain size effects. 52, S. 687-702
- Seifert, R.** (1982). European rivers; first results. 52, S. 523-527
- Soliman, H. A.** (1982). The Nile River; study of carbon transport. 52
- Spitz, A.** (1982). Amino acids and sugars in deep and shallow groundwater from the Hamburg region. 52, S. 743-748
- Telang, S. A., Korchinski, M., & Hodgson, G. W.** (1982). Abundances and transport of ions, nitrogen, and carbon in the Mackenzie River. 52, S. 333-346
- Thomas, A. J., & Martin, J. M.** (1982). Chemical composition of river suspended sediment; Yangtze, Mackenzie, Indus, Orinoco, Parana and French rivers (Seine, Loire, Garonne, Dordogne, Rhone). 52, S. 555-564
- Wong, H. K.** (1982). Continuous seismic reflection profiling in the German Bight (southeastern North Sea); VALDIVIA Cruise, October, 1981. 52, S. 589-604

53.1982

- Haiges, K. H.** (1982). Zur Geologie des Oberhofer Fensters im Norden der Gurktaler Alpen, Kaernten, Oesterreich. Translated Title: Geology of Oberhof Window in Northern Alps of Gurk Valley, Carinthia, Austria. 53, S. 181-190
- Schramm, J. M., Von Gosen, W., Seeger, M., & Thiedig, F.** (1982). Zur Metamorphose variszischer und postvariszischer Feinklastika in Mittel- und Ostkaernten (Oesterreich). Translated Title: Metamorphism of fine clastic elements of the Hercynian and post-Hercynian in High and Middle Carinthia. 53, S. 169-179
- Schuenemann, M., Von Gosen, W., & Thiedig, F.** (1982). Die Viktringer Permotrias und ihre Beziehung zur Gurktaler Decke (Kaernten; Oesterreich). Translated Title: The Viktring Permo-Triassic and its relation to Gurk Valley nappe, Carinthia, Austria. 53, S. 191-206
- Thiedig, F.** (1982). Geologische Arbeiten der Universitaet Hamburg in den oestlichen Zentralalpen von 1970 bis 1982. Translated Title: Geologic studies of Hamburg University in central Eastern Alps, 1970-1982. 53, S. 9
- von Gosen, W.** (1982). Geologie und Tektonik am Nordostrand der Gurktaler Decke (Steiermark/Kaernten; Oesterreich). Translated Title: Geology and tectonics of northeastern border of Gurk Valley nappe, Styria, Carinthia, Austria. 53, S. 33-149

von Gosen, W., Haiges, K. H., & Thiedig, F. (1982). Fossilführendes Palaeozoikum am Ostrand der Gurktaler Alpen (Steiermark/Kaernten; Oesterreich). Translated Title: Fossiliferous Paleozoic of eastern boundary of Gurk Valley Alps, Styria, Carinthia, Austria. *53*, S. 151-168

von Gosen, W., & Thiedig, F. (1982). Die Gurktaler Decke (Oberostalpin) und ihr unterlagerndes Mittelostalpin Kristallin (Kaernten/Steiermark; Oesterreich). Translated Title: Gurk Valley nappe, high Eastern Alps, and its crystalline basement; Carinthia, Styria, Austria. *53*, S. 11-32

Wolter, L., Thiedig, F., Pesch, P., Halamic, J., & Appold, T. (1982). Geologie und Tektonik des Krappfeld-Mesozoikums (Ebersteiner Trias) in Kaernten/Oesterreich. Translated Title: Geology and tectonics of Krappfeld Mesozoic, Eberstein Triassic, in Carinthia, Austria. *53*, S. 207-248

54.1983

Alberti, G. K. B. (1983). Zum Auftreten des Devons der Thüringischen Faziesreihe auf Blatt Lehesten und Umgebung (Frankenwälder Querzone, Saxothuringicum; Bayern). *54*, S. 1-8

Bandel, K., & Spaeth, C. (1983). Beobachtungen am rezenten Nautilus. *54*, S. 9-26

Clarke, B. (1983). Die Cytheracea (Ostracoda) im Schreibkreide-Richtprofil von Lägerdorf-Kronsmoor-Hemmoor (Coniac bis Maastricht; Norddeutschland). *54*, S. 65-168

Schallreuter, R. (1983). Sularpschiefer (Mittelordoviz) als Geschiebe in Norddeutschland. *54*, S. 55-64

Voigt, E., & Hillmer, G. (1983). Oberkretazische Hippothoidae (Bryozoa Cheilostomata) aus dem Campanium von Schweden und dem Maastrichtium der Niederlande. *54*, S. 169-208

Weitschat, W., & Lehmann, U. (1983). Stratigraphy and ammonoids from the Middle Triassic Botneheia-Formation (Daonella Shales) of Spitsbergen. *54*, S. 27-54

55.1983

SCOPE/UNEP Sonderband: Transport of carbon and minerals in major world rivers, Part 2. Proceedings of a workshop arranged by the Scientific Committee on Problems of the Environment (SCOPE) and the United Nations Environment Programme (UNEP) at Hamburg University, March 8-12, 1982

Aselmann, I., & Lieth, H. (1983). The implementation of agricultural productivity into existing global models of primary productivity. *55*, S. 107-118

Bruenig, E. (1983). Effects of immissions on the carbon balance and the input and output of forest ecosystems. *55*, S. 97-106

- Bryers, G. G.** (1983). Water quality data for Waikato River at Mercer, New Zealand for 1979-1983. *55*, S. 471-475
- Cadee, G. C., & Laane, R. W. P. M.** (1983). Behaviour of POC, DOC and fluorescence in the freshwater tidal compartment of the River Ems. *55*, S. 331-342
- Cossa, D., & Tremblay, G.** (1983). Major ions composition of the St. Lawrence River; seasonal variability and fluxes. *55*, S. 253-259
- Degens, E. T., & Ittekkot, V.** (1983). Dissolved organic carbon; an overview. *55*, S. 21-38
- Degens, E. T., & Ittekkot, V.** (1983). Dissolved organic matter in Lake Tanganyika and Lake Baikal; a brief survey. *55*, S. 129-143
- Degens, E. T., & Spitzky, A.** (1983). Paleohydrology of the Nile. *55*, S. 20
- Depetris, P. J., & Lenardon, A. M. L.** (1983). A second report on particulate and dissolved phases in the Parana River. *55*, S. 167-181
- Eisma, D., Boon, J., Groenewegen, R., Ittekkot, V., Kalf, J., & Mook, W. G.** (1983). Observations on macro-aggregates, particle size and organic composition of suspended matter in the Ems Estuary. *55*, S. 295-314
- Fischer, J.** (1983). Remote sensing of suspended matter, phytoplankton and yellow substances over coastal waters; Part 1, Aircraft measurements. *55*, S. 85-95
- Gan, W.-B., Chen, H.-M., & Han Yun-Fang B1 - Degens, E. T.** (1983). Carbon transport by the Yangtze (at Nanjing) and Huanghe (at Jinan) rivers, People's Republic of China. *55*, S. 459-470
- Hart, R. C.** (1983). The Orange River; supplementary results. *55*, S. 451-457
- Hartmann, R.** (1983). Carbon and dissolved matter output from a central Harz sphagnum bog. *55*, S. 353-363
- Irion, G.** (1983). Clay mineralogy of the suspended load of the Amazon and of rivers in the Papua-New Guinea mainland. *55*, S. 483-504
- Ittekkot, V., Martins, O., & Seifert, R.** (1983). Nitrogenous organic matter transported by the major world rivers. *55*, S. 119-127
- Kempe, S., & Jameson, R.** (1983). Geochemistry of the Friars Hole Cave trunk stream at low discharge. *55*, S. 153-166
- Kempe, S., & Lammerz, L.** (1983). Statistical interpretation of hydrochemical data from major world rivers. *55*, S. 39-54
- Kempe, S.** (1983). Impact of Aswan high dam on water chemistry of the Nile. *55*, S. 401-423

- Konta, J.** (1983). Crystalline suspended particles in the Niger, Parana, Mackenzie and Waikato rivers. *55*, S. 505-523
- Kranck, K., & Milligan, T. G.** (1983). Grain size distributions of inorganic suspended river sediment. *55*, S. 525-534
- Kronberg, B. I., & Fyfe, W. S.** (1983). Geochemical controls in Amazonia on weathering rates. *55*, S. 215-222
- Laane, R. W. P. M., & Ittekkot, V.** (1983). Behaviour of dissolved organic waste in a part of the Ems-Dollart Estuary; the Dollart. *55*, S. 343-352
- Lindeboom, H. J., & Merks, A. G. A.** (1983). Annual changes in nutrient, DOC and POC concentrations and their relationship with chemical and biological processes in a closed estuary. *55*, S. 315-329
- Lohse, J., & Michaelis, W.** (1983). Carbohydrates in particulate matter of the Elbe Estuary. *55*, S. 371-384
- Lugo, A. E., & Quinones, F.** (1983). Organic carbon export from intensively used watersheds in Puerto Rico. *55*, S. 237-242
- Lugo, A. E.** (1983). Organic carbon export by riverine waters of Spain. *55*, S. 267-279
- Martins, O.** (1983). Transport of carbon in the Niger River. *55*, S. 435-449
- Obeng-Asamoah, E. K.** (1983). A limnological evaluation of Volta Lake. *55*, S. 425-434
- Paolini, J., Herrera, R., & Nemeth, A.** (1983). Hydrochemistry of the Orinoco and Caroni rivers. *55*, S. 223-236
- Paredes, J. F., Carvalho, V. M., & de Brito, R. R. C.** (1983). Relationship between particulate organic carbon and nitrogen in estuarine mangrove area of the Bay of "Todos os Santos" (Bahia State, Brazil). *55*, S. 203-214
- Paredes, J. F., Paim, A. J., da C. Doria, E. M., & Rocha, W. L. C.** (1983). Sao Francisco River; hydrobiological studies in the dammed lake of Sobradinho. *55*, S. 193-202
- Petr, T.** (1983). Dissolved chemical transport in major rivers of Papua New Guinea. *55*, S. 477-481
- Pettine, M., La Noce, T., Pagnotta, R., & Puddu, A.** (1983). The Tiber River; a picture of its water quality. *55*, S. 281-293
- Pocklington, R., & Kempe, S.** (1983). A comparison of methods for POC determination in the St. Lawrence River. *55*, S. 145-151
- Pocklington, R., & Pempkowiak, J.** (1983). Contribution of humic substances by the Vistula River to the Baltic Sea. *55*, S. 365-370

Pocklington, R., & Tan, F. (1983). Organic carbon transport in the St. Lawrence River. *55*, S. 243-251

Soliman, H. A. (1983). Nile research at the Asyut University. *55*, S. 385-399

Szekielda, K.-H., McGinnis, D., & Gird, R. (1983). Investigations with satellites on eutrophication of coastal regions; Part II. *55*, S. 55-84

Szekielda, K.-H., Piatti, L., & Legeckis, R. (1983). Turbidity zones over the Rio de la Plata region as monitored with satellites. *55*, S. 183-192

Telang, S. A., Scott, R. J., & Hodgson, G. W. (1983). Concentrations and transport of carbon and minerals in the Mackenzie River. *55*, S. 261-266

56.1984

Festband Georg Knetsch: Ein Nord-Süd Profil: Zentraleuropa – Mittelmeerraum – Afrika: Herausgegeben von Egon T. Degens, Wolfgang E. Krumbein, Alexander A. Prashnowsky

Aust, H., Kakavas, N., Tassios, N., & Trippler, K. (1984). Borehole investigations of the aquifer system in the eastern Sperkios Valley, Greece. *56*, S. 175-184

Degens, E. T., & Ittekkot, V. A. (1984). A new look at clay-organic interactions. *56*, S. 229-248

Ebhardt, G. (1984). Hydrogeologie von und um Georg Knetsch. Translated Title: Hydrogeology by and for Georg Knetsch. *56*, S. 205-211

Garagounis, C. N., & Riedle, K. (1984). Gewinnung von CO₂ (sub 2) aus gashaltigen Mineralquellen mit wirtschaftlicher Ausnutzung (mit einem Beispiel fuer die Zukunft von Nigrita/Griechenland). Translated Title: Extraction of carbon dioxide from gas-bearing mineral springs for economic utilization with an example from Nigrita, Greece. *56*, S. 157-166

Gevers, T. W. (1984). Zur Entdeckungsgeschichte und Herkunft der Diamanten an der Kueste Sudafrikas. Translated Title: The history of discovery and genesis of diamonds on the southern coast of Africa. *56*, S. 13-30

Goerlich, F. (1984). An Georg Knetsch, den Begleiter auf wissenschaftspolitischen Wegen. Translated Title: Georg Knetsch, a guide to scientific-politic ways. *56*, S. 8

Jankowsky, W. J. (1984). Identification of lithofacies using modern geophysical methods. *56*, S. 361-383

Jennings, J. S. (1984). The geologist in the oil business (a personal account). *56*, S. 331-335

Jux, U. (1984). C (super 13) /C (super 12) - und O (super 18) /O (super 16) -Verhaeltnisse in Skelettkarbonaten von Riffbildnern des Roten Meeres. Translated Title: C-13/C-12 and O-18/O-16 composition of skeletal carbonates in reef builders in the Red Sea. *56*, S. 143-156

- Knetsch, G.** (1984). Krustale Indikationen von Mantelvorgaengen oder Was kann die Kruste ueber Mantel-Zustaende und-Vorgaenge aussagen?. Translated Title: Crustal indicators of mantle processes or What can the crust tell us about mantle conditions and processes?. 56, S. 95-110
- Krumbein, W. E.** (1984). Auf den Schultern des Riesen; vom Zeitgeist in der Erforschung geomikrobiologischer Zusammenhaenge. Translated Title: On the shoulders of giants; the spirit of the age in research of geomicrobiologic relationships. 56, S. 435-460
- Kuersten, M.** (1984). "Uebungen zur praktischen Geologie" am Beispiel der Danakil-Senke. Translated Title: "Courses in practical geology" using the Danakil Depression as an example. 56, S. 45-52
- Leythaeuser, D., & Schaefer, R. G.** (1984). Diffusion niedrigmolekularer Kohlenwasserstoffe durch den Porenraum sedimentaerer Gesteine; Erkennung, Quantifizierung und geologische Bedeutung. Translated Title: Low molecular diffusion of hydrocarbons through pore spaces in sedimentary rocks; understanding, quantification and geologic significance. 56, S. 287-306
- Martin, H.** (1984). Ueber die Herkunft der Diamanten an der Kueste von S.W.A./Namibia und Namaqualand. Translated Title: The genesis of diamonds on the coast of Namibia and Namaqualand. 56, S. 31-44
- Mensching, H.** (1984). Waditerrassen als palaeoklimatische Zeugen in Nordafrika. Translated Title: Wadi terraces as paleoclimatic indicators in North Africa. 56, S. 133-141
- Mueller, G., & Irion, G.** (1984). Chronology of heavy metal contamination in sediments from the Skagerrak (North Sea). 56, S. 413-421
- Murawski, H.** (1984). Lineationen und Lineamente im Gebirgskoerper Mitteleuropas. Translated Title: Lineations and lineaments in mountainous masses of Central Europe. 56, S. 185-204
- Neev, D., & Hall, J. K.** (1984). Mantle-produced counterclockwise vortices along the northern Mediterranean Belt (a genetic hypothesis for the Alpine system). 56, S. 111-127
- Pilger, A.** (1984). Der Rogenstein des unteren Buntsandstein aus dem Harli bei Goslar als Baustein des Mittelalters. Translated Title: The Rogenstein in the lower Bunter from Harli near Goslar as a building stone during the Middle Ages. 56, S. 423-433
- Prashnowsky, A. A.** (1984). Biogeochemische Untersuchungen an Gesteinen der Bohrung "Teufelspforte" (Saarkarbon). Translated Title: Biogeochemical investigations in rocks in the Teufelspforte borehole, Carboniferous, Saarland. 56, S. 307-329
- Reuter, J. H., & Perdue, E. M.** (1984). A chemical structural model of early diagenesis of sedimentary humus/proto-kerogens. 56, S. 249-262

- Riedle, K., & Karagunis, M.** (1984). Moderne Ausnutzung von Heilwasser fuer Balneotherapie und kombinierte Kur-Freizeitanlagen. Translated Title: Modern utilization of mineral waters for bath therapy and combined treatment and recreational facilities using Nigrita, Greece as an example. *56*, S. 167-173
- Voigt, E.** (1984). Die Genera Reteporidea d'Orbigny, 1849, und Crisidmonea Marsson (Bryozoa Cyclostomata) in der Maastrichter Tuffkreide (Oberes Maastrichtium) nebst Bemerkungen ueber Polyascosocia Canu & Bassler und andere aehnliche Gattungen. Translated Title: The genera Reteporidea and Crisidmonea (Bryozoa, Cyclostomata) in the Maestrichtian tuff (upper Maestrichtian) together with observations on Polyascosocia and other similar species. *56*, S. 385-412
- von Bronsart, G.** (1984). Metallexplorationspraxis Bundesrepublik am Fall der Harzburger Gabbronorit-Intrusion, Oberharz, Niedersachsen. Translated Title: Metal exploration practice in West Germany on the border of the Harzburg gabbro norite intrusion, Oberharz, Lower Saxony. *56*, S. 213-227
- Welte, D. H., Schaefer, R. G., Stoessinger, W., & Radke, M.** (1984). Gas generation and migration in the deep basin of Western Canada. *56*, S. 263-285
- Wong, H. K., & Degens, E. T.** (1984). The crust beneath the Red Sea-Gulf of Aden-East African Rift system; a review. *56*, S. 53-94
- Wurster, P.** (1984). Sedimentation des ariden Klimareichs in einem Blockbild. Translated Title: Sedimentation in an arid environment from a block diagram. *56*, S. 129-131
- Zimmerle, W.** (1984). The geotectonic significance of detrital brown spinel in sediments. *56*, S. 337-360

57.1984

- Biermann, M.** (1984). Sedimentologie und Geochemie der Weichselmoraene von Timmerhorn. Translated Title: Sedimentology and geochemistry of the Timmerhorn Weichselian moraine. *57*, S. 25
- Carnelius, M.** (1984). Sedimentpetrographische und geochemische Untersuchungen saalezeitlicher Moraenen in Hamburg-Tinsdal. Translated Title: Sedimentary petrography and geochemical investigations of Saalian moraines in Hamburg-Tinsdal. *57*, S. 33-56
- Economopoulos, J., & Papyannopoulou-Economou, A.** (1984). Geophysical prospecting for bauxite in the Parnassus-area, Greece. *57*, S. 131-135
- Ehlers, J.** (1984). Platenwanderung an der ostfriesischen Kueste?-Ergebnisse der Luftbildauswertung von zwei Befliegungen der Wichter Ee (zwischen Norderney und Baltrum) im Sommer 1982. Translated Title: Bar migration on the East Frisian coast? Results of aerial photograph evaluation from two flights over the Wichter Ee (between Norderney and Baltrum) in the summer of 1982. *57*, S. 123-129

- Ernst, H.** (1984). Bericht ueber eine Grossprobenserie im Schreibkreide-Richtprofil von Laegerdorf/Kronsmoor; (M-Coniac bis U-Maastricht). Translated Title: Report on a large sample series from the white chalk section of Lagersdorf and Kronsmoor, middle Coniacian through upper Maestrichtian. 57, S. 137-145
- Iwanoff, A.** (1984). Zur quartaeren Morphogenese des Harksheider Sanders. Translated Title: Quaternary morphogenesis of the Harkscheider Sand. 57, S. 69-89
- Lammerz, U.** (1984). Schwermetallbelastung der Hamburger Aussenalster und Vergleich der Sedimente mit Klaerschlam. Translated Title: Heavy metal load of the Hamburg Aussenalster and comparison of sediments and sewage. 57, S. 157-223
- Lehmann, U.** (1984). Notiz ueber Saeugetierreste von der Insel Samos in der Sammlung des Geologisch-Palaeontologischen Instituts und Museums Hamburg. Translated Title: Notes on mammals from Samos Island in the collection of the Geologic-Paleontologic Institute and Museum of Hamburg. 57, S. 147-156
- Linke, M., & Valetton, I.** (1984). Beitrag zur Petrographie elsterzeitlicher Grundmoraenen im Harburger und Bremer Raum. Translated Title: Petrography of Elsterian moraine in the Harburg and Bremen area. 57, S. 57-68
- Valetton, I.** (1984). Beitrage zur Sedimentologie des Pleistozans im Hamburger Raum. Translated Title: Sedimentology of the Pleistocene in the Hamburg region. 57, S. 3
- Valetton, I.** (1984). Sedimentologie und Petrographie der gebankten Sande von Quarrendorf/Nordheide. Translated Title: Sedimentology and petrography of bank sands from Quarrendorf, Nordheide. 57, S. 27-31
- Wilke, H.** (1984). Zur Geologie des Raumes Altona, Blankenese, Tinsdal im Westen Hamburgs. Translated Title: Geology of the Altona, Blankenese, and Tinsdal areas in western Hamburg. 57, S. 91-121

58.1985

SCOPE/UNEP Sonderband: Transport of carbon and minerals in major world rivers, Part 3. Proceedings of a workshop arranged by the Scientific Committee on Problems of the Environment (SCOPE) and the United Nations Environment Programme (UNEP) at Hamburg University, March 8-12, 1982

Arain, R. (1985). Carbon and Mineral Transport of Indus River 1982-1983. 58, S. 487-494

Borchert, G., & Kempe, S. (1985). A Zambezi Aqueduct. 58, S. 443-458

Bruening, E. F., & Schmidt-Lorenz, R. (1985). Some Observations on the Humic Matter in Kerangas and Caatinga Soils with Respect to their Role as Sink and Source of carbon in the Face of Sporadic Episodic Events. 58, S. 107-122

Bryers, G. G. (1985). Water Quality of Lake Taupo and the Waikato River: A General Overview. 58, S. 525-538

- Cascante, E. A., Giombi, N., & Depetris, P. J.** (1985). Abundances and Fluxes of Inorganic Particulate and Dissolved Phases in the Paraná River (Argentina). *58*, S. 305-310
- Cauwet, G.** (1985). Intercalibration Exercise for Dissolved Organic Carbon. *58*, S. 101-106
- Degens, E. T., & Ittekkot, V.** (1985). Particulate Organic Carbon: An Overview. *58*, S. 7-28
- Depetris, P. J., & Cascante, E. A.** (1985). Carbon transport in the Paraná River. *58*, S. 299-304
- Eisma, D., Bernard, P., Boon, J. J., Van Grieken, R., Kalf, J., & Mook, W. G.** (1985). Loss of Particulate Organic Matter in Estuaries as Exemplified by the Ems and Gironde Estuaries. *58*, S. 397-412
- Emeis, K.** (1985). Particulate Suspended Matter in Major World Rivers, II: Results on the River Indus, Waikato, Nile, St. Lawrence, Yangtse, Paraná, Orinoco, Caroni, and Mackenzie. *58*, S. 593-618
- Furch, K., & Junk, W. J.** (1985). Dissolved Carbon in a Floodplain Lake of the Amazon and in the River Channel. *58*, S. 285-298
- Gitelson, I. I., Abrosov, N. S., Gladyshev, M. I., Degermendgi, A. G., Sid'Ko, F. Ya., Shevyrnogov, A. P., Gold, V. M., & Gold, Z. G.** (1985). Yenisei: Problems of the Largest Siberian River. *58*, S. 471-486
- Gordeev, V. V., Miklishansky, A. Z., Migdisov, A. A., & Artemyev, V. E.** (1985). Rare Element Distribution in the Surface Suspended Material of the Amazon River, some of its Tributaries and Estuary. *58*, S. 225-244
- Grossman, D., Kersten, M., Niecke, M., Puskeppel, A., & Voigt, R.** (1985). Determination of Trace Elements in Membrane Filter Samples of Suspended Matter by the Hamburg Proton Microprobe. *58*, S. 619-630
- Hart, R. C.** (1985). Aspects of the Hydrogeochemistry of the Upper Orange River. *58*, S. 435-442
- Junk, W. J.** (1985). The Amazon Floodplain – a Sink or Source for Organic Carbon? *58*, S. 267-284
- Kempe, S., & all Participants** (1985). Compilation of Carbon and Nutrient Discharge from Major World Rivers. *58*, S. 29-32
- Kempe, S., & Emeis, K.** with Contributions of **Pegler, K., Reimer, A., Richnow, H. H., & Salge, U.** (1985). Carbonate Chemistry and the Formation of Plitvice Lakes. *58*, S. 351-384
- Kempe, S., & Herrera, R.** (1985). Alexander von Humboldt. *58*, S. 1-6
- Kersten, M., & Foerstner, U.** (1985). Trace Metal Partitioning in Suspended Matter with Special References to Pollution in the Southeastern North Sea. *58*, S. 631-645

- Kohlmaier, G. H., Broehl, H., Stock, P., Ploechl, M., Fischbach, U., Janecek, A., & Fricke, R.** (1985). Biogenic CO₂ Release and Soil Carbon Erosion Connected with Changes in Land use in the Tropical Forests of Africa, America and Asia. *58*, S. 123-136
- Konta, J.** (1985): Mineralogy and Chemical Maturity of Suspended Matter in Major Rivers Sampled under the SCOPE/UNEP Project. *58*, S. 569-592
- Laane, R. W. P. M., & Ittekkot, V.** (1985). Dissolved and Particulate Carbohydrates in the Ems-Dollart Estuary. *58*, S. 385-396
- Leenheer, J. A.** (1985). Assessment of Organic-Solute Distributions in Water. *58*, S. 165-178
- Lesack, L. F. W., Melack, J. M., & Hecky, R. E.** (1985). Transport of Organic Carbon in the Gambia River, West Africa. *58*, S. 431-434
- Lieth, H., & Esser, G.** (1985). The Attempt to Simulate the Global Carbon Flux from 1860 to 1981 Using the Osnabrueck Biosphere Model. *58*, S. 137-144
- Lieth, H., & Kawosa, M. A.** (1985). The Development of Vegetation Maps from Satellite Images in Remote Regions. *58*, S. 145-164
- Mook, W. G.** (1985). The Relation between Oxygen-18 and Deuterium in Non-Evaporating and Evaporation River Water. *58*, S. 179-190
- Mortatti, J., Salati, E., Victoria, R. L., & Ribeiro, M. N. G.** (1985). Analysis of the Isotopic Behaviour of Hydrogen and Oxygen of Water in the Main Channel of the River Solimões/Amazon. *58*, S. 259-266
- Naidu, A. S.** (1985). Organic carbon, Nitrogen, and C/N Ratios of Deltaic Sediments, North Arctic Alaska. *58*, S. 311-322
- Naidu, A. S., Mowatt, T. C., Somayajulu, B. L. K., & Sreeramachandra Rao, K.** (1985). Characteristics of Clay Minerals in the Bed Loads of Major Rivers in India. *58*, S. 559-568
- Pempkowiak, J.** (1985). The Input of Biochemically Labile and Resistant Organic Matter to the Baltic Sea from the Vistula River. *58*, S. 345-350
- Pettine, M., La Noce, T., Pagnotta, R., & Puddu, A.** (1985). Organic and Trophic Load of Major Italian Rivers. *58*, S. 417-430
- Pocklington, R.** (1985). The Contribution of Organic Matter by the St. Lawrence River to the Gulf of St. Lawrence, 1981-1983. *58*, S. 323-330
- Richey, J. E., Salati, E., & Dos Santos, U.** (1985). Biochemistry of the Amazon River: An Update. *58*, S. 245-258
- Romankevich, E. A., & Artemyev, V. E.** (1985). Input of Organic Carbon into Seas and Oceans Bordering the Territory of the Soviet Union. *58*, S. 459-470

- Safiullah, S., Chowdhury, M. I., Mafizuddin, M., Ali, I., & Karim, M.** (1985). Monitoring of the Padma (Ganges), the Jamuna (Brahmaputra) and the Baral in Bangladesh. *58*, S. 519-524
- Schorin, H.** (1985). The Water Hyacinth: A Sensitive Indicator for the Environmental Status of certain Tropical Rivers. *58*, S. 217-224
- Schorin, H., La Brecque, J. J., & Rosales, P.** (1985). Mineralogy and Geochemistry of Sediments from Rio Tigre, East Venezuela; Preliminary Results. *58*, S. 207-216
- Seifert, R., & Ittekkot, V.** (1985). Dissolved Sugars and Amino Acids Associated with "Humic Matter" in the Ems an Elbe Rivers. *58*, S. 413-416
- Subramanian, V.** (1985). Geochemistry of River Basins in the Indian Subcontinent, Part I: Water Chemistry, Chemical Erosion and Water-Mineral Equilibria. *58*, S. 495-512
- Subramanian, V., Richey, J. E., & Abbas, N.** (1985). Geochemistry of River Basins of India, Part II: Preliminary Studies on the Particulate C and N in the Ganges-Brahmaputra River System. *58*, S. 513-518
- Szekielda, K.-H.** (1985). Large-Scale Mapping of Vegetation. *58*, S. 91-100
- Szekielda, K.-H., & McGinnis, D.** (1985). Investigations with Satellites on Eutrophication of Coastal Regions, Part III: The Patch Concept. *58*, S. 33-48
- Szekielda, K.-H., & McGinnis, D.** (1985). Investigations with Satellites on Eutrophication of Coastal Regions, Part IV: The Changjiang River and the Huanghai Sea. *58*, S. 49-84
- Szekielda, K.-H., & McGinnis, D.** (1985). Investigations with Satellites on Eutrophication of Coastal Regions, Part V: Note on the Amazon Saltwedge. *58*, S. 85-90
- Telang, S. A.** (1985). Transport of Carbon and Minerals in the Mackenzie River. *58*, S. 337-344
- Tremblay, G.-H., & Rivard, L.** (1985). Analytical Results: St. Lawrence River 1981-1983 (Appendix to Pocklington, 1985). *58*, S. 331-336
- Vegas-Vilarrubia, T., & Paolini, J. E.** (1985). Limitations of Colormetric models for Quick Assessment of TOC in Black Water Rivers. *58*, S. 197-206
- Vegas-Vilarrubia, T., & Paolini, J. E.** (1985). Some Physical and Chemical Characteristics of Black Water Rivers in Venezuela, a Preliminary Report. *58*, S. 191-196
- Wei-Bin, Gan** (1985). Hydrochemistry of the Yangtze River Basin. *58*, S. 539-558

59.1985, 1

- Alberti, G. K. B.** (1985). Neue Taxa der Dacryoconarida, insbesondere der Corniculinidae n. fam., aus dem basalen Flemersbacher Tentaculitenkalk (Bayerische Faziesreihe, Unter-Devon) von Oberfranken. Translated Title: New taxa of Dacryoconarida, Corniculinidae n. fam.,

from the basal Flemlersbach Tentaculites limestone (Bavarian facies, Lower Devonian) of Upper Franconia. *1. 59*, S. 39-50

Alberti, G. K. B. (1985). Zur biostratigraphischen Untergliederung des Greifensteiner Kalkes und der Wissenbacher Schiefer (Unter- bis Mittel-Devon, Rheinisches Schiefergebirge) mit Hilfe von Dacryoconarida (Tentaculiten). Translated Title: The lower biostratigraphic members of the Greifenstein Limestone and the Wissenbach Shale (Lower to Middle Devonian, Rhenish Schiefergebirge) with focus on Dacryoconarida, Tentaculites. *1. 59*, S. 51-56

Bandel, K., & Mikbel, S. (1985). Origin and deposition of phosphate ores from the Upper Cretaceous at Ruseifa (Amman, Jordan). *1. 59*, S. 167-188

Eiserhardt, K. H. (1985). Orthosphaeridium rectangulare (Eisenack 1963) (Acritarcha) aus einem Ojlemyrflint-Geschiebe (Schweden). Translated Title: Orthosphaeridium rectangulare (Eisenack, 1963)(Acritarcha) from the Ojlemyr Flint, Sweden. *1. 59*, S. 137-154

El-Chair, M., Hammann, W., & Thiedig, F. (1985). Neue Trilobiten- und Graptolithenfundstücke aus den Tanezzuft-Schiefen (Llandovery, Silur) des Fezzan, Südwest-Libyen. Translated Title: New trilobite and graptolite finds in the Tanezzuft Shale (Llandoveryan, Silurian) of Fezzan, southwestern Libya. *1. 59*, S. 83-98

Hillmer, G., & Schallreuter, R. (1985). Voigtia octoginta n. g. n. sp. (Bryozoa, Cyclostomata) aus Bachsteinkalk-Geschieben (Mittelordoviz) Norddeutschlands. Translated Title: Voigtia octoginta n.g. n.sp. (Bryozoa, Cyclostomata) from the Bachsteinkalk (Middle Ordovician), northern Germany. *1. 59*, S. 14

Knetsch, G. (1985). Alte Lesesteine aus dem Basiskonglomerat unserer Weltbetrachtung (Eine Studie). Translated Title: Ancient rocks from the basal conglomerate and its global implications; a study. *1. 59*, S. 189-200

Schallreuter, R. (1985). Aurel Krauses "Geschiebe mit Beyrichia rostrata" (Ostracoda; Ordoviz). Translated Title: Aurel Krause's "Boulder detritus with Beyrichia rostrata", Ostracoda, Ordovician. *1. 59*, S. 99-136

Spaeth, C. (1985). Aufwuchs und xenomorphe Skulptur bei Aetostreon latissimum (Lamarck) (Ostreidae) aus dem Hauterivium von Helgoland. Translated Title: Growth and xenomorphic sculpture of Aetostreon latissimum (Lamarck)(Ostreidae) of the Hauterivian of Helgoland. *1. 59*, S. 57-70

Spitz, A., & Degens, E. T. (1985). Modelling stable isotope fluctuations through geologic time. *1. 59*, S. 155-166

Thies, D. (1985). Bissspuren an Seeigel-Gehäusen der Gattung Echinocorys Leske, 1778 aus dem Maastrichtium von Hemmoor (NW-Deutschland). Translated Title: Bite traces on tests of the echinoid genus Echinocorys Leske, 1778 from the Maastrichtian of Hemmoor, northwestern Germany. *1. 59*, S. 71-82

60.1986

SCOPE/UNEP Sonderband: Biogeochemistry of black shales. Case studies from a workshop sponsored by the Deutsche Forschungsgemeinschaft (DFG) and the U.S. National Science Foundation (NSF) at the SCOPE/UNEP International Carbon Unit, Hamburg University, May 28-31 1985

Bandel, K., & Knitter, H. (1986). On the origin and diagenesis of the bituminous Posidonia Shale (Toarcian) of southern Germany. *60*, S. 151-177

Beiersdorf, H., & Knitter, H. (1986). Diagenetic layering and lamination. *60*, S. 267-273

Brassell, S., & Farrimond, P. (1986). Fluctuations in biological marker compositions within a Cenomanian black shale from the Angola Basin. *60*, S. 311-338

Brumsack, H. J., & Thurow, J. (1986). The geochemical facies of black shales from the Cenomanian/Turonian boundary event (CTBE). *60*, S. 247-265

Degens, E. T., Wong, H.-K., & Wiesner, M. G. (1986). The Black Sea region; sedimentary facies, tectonics and oil potential. *60*, S. 127-149

Dill, H. (1986). Geochemical facies analysis of Upper Proterozoic metabiolites (Bohemian Massif/F. R. Germany) as guide to metal exploration. *60*, S. 37-53

Herbin, J. P., Magniez-Jannin, F., & Muller, C. (1986). Mesozoic organic rich sediments in the South Atlantic; distribution in time and space. *60*, S. 71-97

Kuhnt, W., Thurow, J., Wiedmann, J., & Herbin, J. P. (1986). Oceanic anoxic conditions around the Cenomanian/Turonian boundary and the response of the biota. *60*, S. 205-246

Loh, H., Maul, B., Prauss, M., & Riegel, W. (1986). Primary production, maceral formation and carbonate species in the Posidonia Shale of NW Germany. *60*, S. 397-421

Marzi, R., & Rullkoetter, J. (1986). Organic matter accumulation and migrated hydrocarbons in deep sea sediments of the Mississippi Fan and adjacent intraslope basins, northern Gulf of Mexico. *60*, S. 359-379

Mendelson, J. D., & Toksoez, M. N. (1986). In-situ determination of organic richness in sediments by geophysical logging. *60*, S. 23-36

Meyers, P. A., Dunham, K. W., & Rau, G. H. (1986). Geochemical characteristics of organic matter in light-dark cycles in Plio-Pleistocene sediments from DSDP Site 532, Walvis Ridge continental terrace. *60*, S. 339-358

Meyers, P. A. (1986). Cretaceous black shales in the Angola Basin of the South Atlantic Ocean; geochemistry, sedimentology and paleoceanography. *60*, S. 115-126

Michaelis, W., Mycke, B., & Richnow, H. H. (1986). Organic chemical indicators for reconstructions of Angola Basin sedimentation processes. *60*, S. 99-113

Mycke, B. (1986). Chemical degradation of humic matter, coal and kerogen by catalytic hydrogenation. *60*, S. 22

Rullkoetter, J., Mukhopadhyay, P. K., Disko, U., Schaefer, R. G., & Welte, D. H. (1986). Facies and diagenesis of organic matter in deep sea sediments from the Blake Outer Ridge and the Blake Bahama Basin, western North Atlantic. *60*, S. 179-203

Simoneit, B. R. T. (1986). Organic geochemistry of black shales from the Deep Sea Drilling Project; a summary of occurrences from the Pleistocene to the Jurassic. *60*, S. 275-309

Stein, R. (1986). Surface-water paleo-productivity as inferred from sediments deposited in oxic and anoxic deep-water environments of the Mesozoic Atlantic Ocean. *60*, S. 55-70

Wehner, H., & Hufnagel, H. (1986). Some characteristics of the inorganic and organic composition of oil shales from Jordan. *60*, S. 381-395

61.1986

Alberti, G. K. B. (1986). Zu Lebensraum und Palaeobiographie unterdevonischer Trilobiten aus Oberfranken-Ostthueringen. Translated Title: The ecology and biogeography of the Lower Devonian trilobites from Upper Franconia-eastern Thuringia. *61*, S. 103-112

Bandel, K. (1986). The reconstruction of "Hyolithes kingi" as annelid worm from the Cambrian of Jordan. *61*, S. 35-101

Bandel, K., Dullo, W. C., & Gaziry, A. W. (1986). Unusual transformation of CaCO (sub 3) into CaSO (sub 4) with preservation of original structure. *61*, S. 21-33

Engeser, T., & Neumann, H. H. (1986). Ein neuer verticillitider "Sphinctozoe" (Demospongiae, Porifera) aus dem Campan der Krappfeld-Gosau; Kaernten, Oesterreich. Translated Title: A new verticillitide Sphinctozoa (Demospongiae, Porifera) from the Campanian of Krappfeld, Gosau; Carinthia, Austria. *61*, S. 149-159

Gaziry, A. W. (1986). Antilopen-Reste aus Maragheh/Iran. Translated Title: Antelope from Maragheh, Iran. *61*, S. 281-327

Gaziry, A. W. (1986). Lophiodon tapiroides (Mammalia, Perissodactyla) aus der Sammlung des Geologisch-Palaeontologischen Instituts und Museums der Universitaet Hamburg. Translated Title: Lophiodon tapiroides (Mammalia, Perissodactyla) from the collection of the Geologic-Paleontologic Institute and the Museum of the University of Hamburg. *61*, S. 367-370

Hillmer, G., & Senowbari-Daryan, B. (1986). Sphinctozoa aus dem Cenoman von Muelheim-Broich, SW Westfalen. Translated Title: Sphinctozoa from the Cenomanian of Mulheim-Broich, southwestern Westphalia. *61*, S. 161-187

Kazmierczak, D., & Degens, E. T. (1986). Calcium and the early eukaryotes. *61*, S. 20

- Lienau, H. W., & Schleich, H. H.** (1986). Schildkroetenreste aus den obereozänen Gehlbergsschichten von Helmstedt bei Braunschweig, Niedersachsen. Translated Title: Turtles from the upper Eocene Gehlberg strata from Helmstedt near Braunschweig, Niedersachsen. *61*, S. 329-341
- Schallreuter, R.** (1986). Silurische Hornsteine und Ostracoden von Sylt. Translated Title: Silurian flint and Ostracoda from Sylt. *61*, S. 189-233
- Spaeth, C.** (1986). Verteilung der stabilen Isotope (super 18) O und (super 13) C im Schalenkarbonat zweier Aquarium-gehaltener Exemplare von *Nautilus pompilius* L.. Translated Title: Distribution of the stable isotopes O-18 and C-13 in carbonate shells in two aquariums as shown by *Nautilus pompilius* L. *61*, S. 235-247
- Voigt, E., & Schneemilch, U.** (1986). Neue cheilostomate Bryozoenarten aus dem nordwestdeutschen Campanium. Translated Title: New cheilostomate Bryozoa from the northwestern German Campanian. *61*, S. 113-147
- Weidner, H., & Riou, B.** (1986). Termiten (Isoptera) aus dem Obermiozän von St-Bauzile (Ardeche, Frankreich). Translated Title: Termites (Isoptera) from upper Miocene of St. Bauzile, Ardeche, France. *61*, S. 343-365
- Weitschat, W.** (1986). Phosphatisierte Ammonoiten aus der Mittleren Trias von Central Spitzbergen. Translated Title: Phosphatization of ammonoids from the Middle Triassic of central Spitsbergen. *61*, S. 249-279

62.1987

SCOPE/UNEP Sonderband: Particle flux in the ocean. Proceedings of a workshop sponsored by the Deutsche Forschungsgemeinschaft (DFG) and the Turkish Research Council (Tübitak), at the Dokuz Eylül University, Izmir, Turkey, June 23-28, 1986

- Aibulatov, N. A.** (1987). Suspended matter flows off the continental margin of the Black Sea. *62*, S. 55-76
- Benli, H. A.** (1987). Investigation of plankton distribution in the southern Black Sea and its effects on particle flux. *62*, S. 77-87
- Deuser, W. G.** (1987). Variability of hydrography and particle flux; transient and long-term relationships. *62*, S. 179-193
- Eisma, D.** (1987). Flocculation of suspended matter in coastal waters. *62*, S. 259-268
- Emeis, K. C.** (1987). Cretaceous black shales of the South Atlantic Ocean; the role and origin of recycled organic matter. *62*, S. 209-232
- Emeis, K. C.** (1987). A note on fly ash from coal combustion; characteristic and possible usefulness as a tracer substance. *62*, S. 99-108

- Gaziry, A. W.** (1987). Fossile Giraffen-Extremitaeten aus Marogheh/Iran. Translated Title: Fossilized giraffe extremities from Marogheh, Iran. *63*, S. 185-199
- Goekcen, S. L.** (1987). Effects of turbidity currents on the modes of vertical and horizontal particle flux in the sea. *62*, S. 269-278
- Haake, B.** (1987). Paleoenvironments of deposition on a Cretaceous continental shelf. *62*, S. 195-207
- Heussner, S., Monaco, A., & Fowler, S. W.** (1987). Characterization and vertical transport of settling biogenic particles in the northwestern Mediterranean. *62*, S. 127-147
- Honjo, S., Hay, B. J., Manganini, S. J., Asper, V. L., Degens, E. T., Kempe, S., Ittekkot, V., Izdar, E.; Konuk, Y. T., Benli, H. A.** (1987). Seasonal cyclicality of lithogenic particle fluxes at a southern Black Sea sediment trap station. *62*, S. 19-39
- Izdar, E., Konuk, T., Degens, E. T., Ittekkot, V., Doherty, K., & Clarke, W.** (1987). Report on the recovery of a lost sediment trap mooring in the Black Sea during R/V PIRI REIS cruise 9/86. *62*, S. 301-308
- Izdar, E., Konuk, T., Ittekkot, V., Kempe, S., & Degens, E. T.** (1987). Particle flux in the Black Sea; nature of the organic matter. *62*, S. 18
- Kempe, S., Nies, H., Ittekkot, V., Degens, E. T., Buesseler, K. O., Livingston, H. D., Honjo, S., Hay, B. J., Manganini, S. J., Izdar, E., Konuk, T.** (1987). Comparison of Chernobyl nuclide deposition in the Black Sea and in the North Sea. *62*, S. 165-178
- Liebezeit, G.** (1987). Early diagenesis of carbohydrates in the marine environment; 1, Sediment trap experiments. *62*, S. 279-299
- Michaelis, W., Schuemann, P., Ittekkot, V., & Konuk, T.** (1987). Sterol markers for organic matter fluxes in the Black Sea. *62*, S. 89-98
- Monaco, A., Heussner, S., Courp, T., Buscail, R., Fowler, S. W., Millot, C., & Nyffeler, F.** (1987). Particle supply by nepheloid layers on the northwestern Mediterranean margin. *62*, S. 109-125
- Ramaswamy, V.** (1987). Particle flux during the southwest monsoon on the western margin of India. *62*, S. 233-242
- Tambiev, S. B.** (1987). New data on the constituents and chemical composition of the suspended and freely sinking particulate matter in the Black Sea waters. *62*, S. 41-54
- von Bodungen, B., Fischer, G., Noethig, E. M., & Wefer, G.** (1987). Sedimentation of krill faeces during spring development of phytoplankton in Bransfield Strait, Antarctica. *62*, S. 243-257

63.1987

Gaziry, A. W. (1987). Fossile Giraffen-Extremitaeten aus Marogheh/Iran. Translated Title: Fossilized giraffe extremities from Marogheh, Iran. *63*, S. 185-199

Johansen, M. B. (1987). The micromorphic brachiopod genus *Rugia* Steinich from the middle Coniacian-lower Maestrichtian chalk of Laegerdorf and Kronsmoor, Northwest Germany. *63*, S. 127-183

Meyer, D. (1987). Bibliographie zur Geologie und Palaeontologie von Helgoland. Translated Title: Bibliography of geology and paleontology of Helgoland. *63*, S. 201-212

Vollmer, T. (1987). Zur Geologie des noerdlichen Zentral-Elburz zwischen Chalus- und Haraz-Tal, Iran. Translated Title: The geology of north-central Elburz between Chalus and Haraz valleys, Iran. *63*, S. 125

64.1987

SCOPE/UNEP Sonderband: Transport of carbon and minerals in major world rivers, Part 4. Proceedings of a workshop arranged by the Scientific Committee on Problems of the Environment (SCOPE) and the United Nations Environment Programme (UNEP) at Hamburg University, March 8-12, 1982

Arain, R. (1987). Persisting Trends in Carbon and Mineral Transport Monitoring of the Indus River. *64*, S. 417-422

Cadée, G. C. (1987). Carbon in the Ems River and Estuary: a Comparison of Summer and Winter Conditions. *64*, S. 359-374

Cauwet, G., & Meybeck, M. (1987). Seasonal Fluctuations of Carbon Levels in a Temperate River: the Loire (France). *64*, S. 349-358

Davis-Colley, R. J. (1987). Optical Properties of the Waikato River, New Zealand. *64*, S. 443-460

Depetris, P. J., & Cascante, E. A. (1987). Hydrochemical Transport of Selected Heavy Metals in the Paraná River (Argentina). *64*, S. 339-348

Dou Yijian, Liu Yunin, Lu Genfa & Li Lexiu (1987). Distribution of Heavy Metals in the Upper Changjiang (Jinsha River, Dukou Reach). *64*, S. 233-242

Eisma, D. (1987). Processes of Nearshore Accumulation of Suspended Material. *64*, S. 57-70

Feng Jian-Xiang & Kempe, S. (1987). The Concentrations and Transportation of major Ions in the Lower Huanghe. *64*, S. 161-170

Furch, K. (1987). Amazonian Rivers: Their Chemistry and Transport of Dissolved Solids through their Basins. 1. Major Dissolved Solids. *64*, S. 311-324

Gan Weibin & Kempe, S. (1987). The Changjiang: Its Long-term Changes in PCO_2 and Carbonate Mineral Saturation. *64*, S. 207-216

- Gobeil, C., & Cossa, D.** (1987). Discharge of Dissolved Fluoride from the St. Lawrence River into the Ocean. *64*, S. 295-300
- Hart, R. C.** (1987). Carbon Transport in the Upper Orange River. *64*, S. 509-512
- He Songlin** (1987). On Aggregation of Suspended Fine-grained Matter and Behavior of Trace Metals in Estuaries: a Review. *64*, S. 195-206
- Huang Jiqing & Wang Naiwen** (1987). The Quaternary Geology of Eastern China. *64*, S. 113-124
- Kohlmaier, G. H., Broehl, H., & Fricke, R.** (1987). The Biogenic Fuels: Fuelwood, Charcoal, Crop Residues and Animal Dung as a Net Source of Atmospheric Carbon Dioxide. *64*, S. 29-44
- Kranck, K.** (1987). Granulometric Changes in Fluvial Sediments from Source to Deposition. *64*, S. 45-56
- Laane, R. W. P. M., Etcheber, H., & Relaxans, J. C.** (1987). Particulate Organic Matter in Estuaries and its Ecological Implications for Macrobenthos. *64*, S. 71-92
- Liebezeit, G., & Rau, M. T.** (1987). Nutrient Chemistry of two Papua New Guinean Mangrove Systems. *64*, S. 423-434
- Lin Feng & Hu Minghui** (1987). The Behavior and Fluxes of Nutrients in the Changjiang and the Jiulong Estuaries. *64*, S. 185-194
- Liu Hung-Liang & Wang Yi-Ting** (1987). Water Environment and its Management in China. *64*, S. 131-138
- Martins, O.** (1987). The Ogun River: Geochemical Characteristics of a Small Drainage Basin. *64*, S. 475-482
- Meybeck, M.** (1987). The Water Quality of World Rivers through the GEMS program. *64*, S. 1-18
- Meybeck, M., Lô, H. M., Cauwet, G., & Gac, J. Y.** (1987). Geochemistry of the Sahelian Gambia River during 1983 High-Water Stage. *64*, S. 461-474
- Moldan, B.** (1987). Sources of Seven Chemical Elements in the Water Runoff in Bohemia. *64*, S. 375-386
- Mowatt, T. C., & Naidu, A. S.** (1987). A Brief Overview of the Clay Mineral Assemblages in Sediments of the Major Rivers of Alaska and Adjacent Arctic Canada. *64*, S. 269-278
- Naidu, A. S.** (1987). Distribution of Organic Carbon, Nitrogen and C_{org}/N Ratios of Glaciomarine Sediments of Port Valdez, Valdez Arm, and Prince William Sound, South Alaska. *64*, S. 279-288
- Nkounkou, R. R., & Probst, J. L.** (1987). Hydrology and Geochemistry of the Congo River System. *64*, S. 483-508

- Pan Pin Zheng, Liu Wei Dian, Wang Zeng Yü & Xü Bolin** (1987). Carbon Transport into the Bohai Gulf from the Lower Haihe River Basin (Tianjin Metropolitan Region). *64*, S. 139-152
- Paolini, J., Hevia, R., & Herrera, R.** (1987). Transport of Carbon and Minerals in the Orinoco and Caroni Rivers during the Years 1983-1984. *64*, S. 325-338
- Pettine, M., Puddu, A., La Noce, T., & Pagnotta, R.** (1987). Behavior of Organic Carbon and Nutrients in Estuarine Waters of the Tiber River. *64*, S. 407-416
- Pocklington, R.** (1987). Arctic Rivers and Their Discharges. *64*, S. 261-268
- Safiullah, S., Mofizuddin, M., Iqbal Ali, S. M., & Enamul Kabir, S.** (1987). Biogeochemical Cycles of Carbon in the Rivers of Bangladesh. *64*, S. 435-442
- Scheuerlein, H.** (1987). The Yellow-River – China's Sorrow since Ancient Time and a Permanent Challenge to Hydraulic Engineers. *64*, S. 153-160
- Sun Shun-Cai & Wu Yi-Fan** (1987). Recent Sedimentation Rates and Distribution of Some Chemical Elements in Tai Lake. *64*, S. 251-260
- Szekielda, K.-H., & McGinnis, D.** (1987). Investigations with Satellites on Eutrophication of Coastal Regions, Part VI: Characterization of Water Masses in the Huanghai Sea. *64*, S. 93-112
- Szekielda, K.-H., Degens, E. T., & McGinnis, D.** (1987). The Changjiang Regime in the Thermal Infrared. *64*, S. 171-174
- Tan, F. C.** (1987). Discharge and Carbon Isotope Composition of the Particulate Organic Carbon from the St. Lawrence River, Canada. *64*, S. 301-310
- Tremblay, G.-H., & Cossa, D.** (1987). Major Ion Composition of the St. Lawrence River: Variations since the Start of Industrialization. *64*, S. 289-294
- Tse, P.-H., & Wong, H. K.** (1987). Lake Warder: Sediment Properties and Phosphorus Geochemistry. *64*, S. 387-406
- Wang Wei & Chen Jie** (1987). Carbon Transport and the Relationship between Carbon and Other Elements in the Changjiang River. *64*, S. 217-232
- Yong-Ping Zhang** (1987). A Method for Estimating the Total Organic Carbon Transport in World Rivers: a Consideration of Probability. *64*, S. 19-28
- Zhang Peiyuan & Gong Gaofa** (1987). Climatic Fluctuations During Historical Times in China. *64*, S. 125-130
- Zhang Qunying, Lin Feng, Li Xun & Hu Minghui** (1987). Major Ion Chemistry and Fluxes of Dissolved Solids with Rivers in Southern Coastal China. *64*, S. 243-250

Zhou Fugen (1987). Transport and Deposition of Suspended Sediments in the Changjiang Estuary. *64*, S. 175-184

65.1988

SCOPE/UNEP Sonderband: Biogeochemistry and distribution of suspended matter in the North Sea and implications to fisheries biology. Editors: Stephan Kempe, Gert Liebezeit, Volkert Dethlefsen, Uwe Harms

Hoelemann, J., & Wirth, H. (1988). Concentration, major element ratios and scanning electron microscopy of suspended particulate matter from the North Sea, spring 1986. *65*, S. 183-206

Kempe, S., & Jennerjahn, T. C. (1988). The vertical particle flux in the northern North Sea, its seasonality and composition. *65*, S. 229-268

Kersten, M., & Klatt, V. (1988). Trace metal inventory and geochemistry of the North Sea shelf sediments. *65*, S. 289-311

Landmann, G. (1988). An in situ camera system, developed and tested for the characterization of suspended matter in the ocean. *65*, S. 207-228

Lohse, J. (1988). Distribution of organochlorine pollutants in North Sea sediments. *65*, S. 345-365

Recke, M., & Foerstner, U. (1988). Geochemical investigations on heavy metals in anoxic and oxic sediments from the North Sea and the East Frisian Wadden Sea. *65*, S. 313-344

Salge, U., & Wong, H.-K. (1988). The Skagerrak; a depo-environment for Recent sediments in the North Sea. *65*, S. 367-380

von Haugwitz, W., Wong, H.-K., & Salge, U. (1988). The mud area southeast of Helgoland; a reflection seismic study. *65*, S. 409-422

von Haugwitz, W., & Wong, H.-K. (1988). The Dogger Bank; seismic stratigraphy and Holocene sedimentation. *65*, S. 381-407

Wirth, H., & Seifert, R. (1988). Mineralogy, geochemistry and SEM-observations of suspended particulate matter from the North Sea, spring 1984. *65*, S. 163-181

Wirth, H., & Wiesner, M. G. (1988). Sedimentary facies in the North Sea. *65*, S. 269-287

66.1988

SCOPE/UNEP Sonderband: Transport of carbon and minerals in major world rivers, Part 5. Proceedings of a workshop arranged by the Scientific Committee on Problems of the Environment (SCOPE) and the United Nations Environment Programme (UNEP) at Hamburg University, March 8-12, 1982

- Arain, R.** (1988). Carbon Transport by Indus River – An Overview After Five Years (1981-1985) of Monitoring of River Discharge to the Arabian Sea. *66*, S. 93-98
- Artemeyev, V. E., & Romankevich, E. A.** (1988). Seasonal Variations in the Transport of Organic Matter in North Dvina Estuary. *66*, S. 177-184
- Briceño, H. O., Yanes, C., Ramirez, A., Martinez, E., Lopez, C., & Tirado, O.** (1988). Geochemistry of the Caroni-Paragua Basin. *66*, S. 415-422
- Cai, D.-L., Tan, F. C., & Edmond, J. M.** (1988). Sources and Transport of Particulate Organic Carbon in the Amazon River and Estuary. *66*, S. 223-238
- Eisma, D.** (1988). The Terrestrial Influence on Tropical Coastal Seas. *66*, S. 289-318
- Ferreira, J. R., Devol, A. H., Martinelli, L. A., Forsberg, B. R., Victoria, R. L., Richey, J. E., & Mortatti, J.** (1988). Chemical Composition of the Madeira River: Seasonal Trends and Total Transport. *66*, S. 63-76
- Fischer, J., Doerffer, R., & Grassl, H.** (1988). Remote Sensing of Suspended Matter, Phytoplankton and Yellow Substances over Coastal Waters. Part 2: Satellite Measurements. *66*, S. 31-42
- Gitelson, I. I., & Levin, L.** (1988). Biophysical Aspects of Water Ecosystems Analysis and Modelling. *66*, S. 319-330
- Gitelson, I. I., Abroso, N. S., & Gladyshev, M. I.** (1988). The Main Hydrological and Hydrobiological Characteristics of the Yensei River. *66*, S. 43-46
- Gitelson, I. I., Shevyrnogov, A. P., Molvinskih, S. L., & Chepilov, V. V.** (1988). Determination of Photosynthesis Pigments in Aqueous Ecosystems. *66*, S. 331-340
- Hong, G. H., & Burrell, D. C.** (1988). Sources, Vertical Distribution and Flux of Particulate Organic C, N, Biogenic Si, Mn and Fe in a Southeastern Alaskan Fjord. *66*, S. 185-212
- Iriondo, M. H.** (1988). A Comparison Between the Amazon and Paraná River Systems. *66*, S. 77-92
- Kelley, J. J., & Gosink, T. A.** (1988). Carbon Dioxide and Other Trace Gases in Tundra Surface Waters in Alaska. *66*, S. 117-128
- Kipphut, G. W.** (1988). Sediments and Organic Carbon Cycling in an Arctic Lake. *66*, S. 129-136
- Konta, J.** (1988). Minerals in Rivers. *66*, S. 341-366
- Laane, R. W. P. M., & Ruardij, P.** (1988). Modelling Estuarine Carbon Fluxes. *66*, S. 239-266
- Martins, O., & Nurudeen, S. I.** (1988). Hydrology and Geochemistry of Kainji Lake – A Reappraisal. *66*, S. 159-164

- Pettine, M., La Noce, T., Pagnotta, R., & Puddu, A.** (1988). Nutrients, Carbon and Heavy Metals in Central Italian Lakes. *66*, S. 157-158
- Ramirez, A. J., Rose, A. W., & Bifano, C.** (1988). Transport of Carbon and Nutrients by the Tuy River, Venezuela. *66*, S. 137-156
- Reeburgh, W. S., & Alperin, M. J.** (1988). Studies on Anaerobic Methane Oxidation. *66*, S. 367-376
- Slaughter, C. W., Naidu, A. S., Hilgert, J. W., & Wiersma, G. B.** (1988). Selected Chemical Parameters and Particulate Organic Carbon and Nitrogen of the Noatak and Kobuk Rivers and Kotzebue Sound, Northwest Alaska. *66*, S. 213-222
- Spitz, A.** (1988). Dissolved Organic Matter in Groundwaters from Different Climates. *66*, S. 377-414
- Subramanian, V., & Iha, P. K.** (1988). Geochemical Studies on the Hoogly (Ganges) Estuary. *66*, S. 267-288
- Sun Shunca** (1988). Lakes in China and Chinese Lacustrine Sedimentology – A Brief Survey. *66*, S. 165-176
- Szekielda, K.-H.** (1988). Investigations with Satellites on Eutrophication of Coastal Regions. Part VII: Response of the Somali Upwelling onto Monsoonal Changes. *66*, S. 1-30
- Takayanagi, K.** (1988). Seasonal Variations of the Total Selenium and Selenite in the St. Lawrence River near Quebec City. *66*, S. 47-50
- Vegas-Vilarrubia, T., & Rull, V.** (1988). A Multivariate Statistical Classification of Venezuelan Blackwater Rivers. *66*, S. 51-62
- Whalen, S. C., Cornwell, J. C., & Alexander, V.** (1988). Comparison of Chemical and Biological N Budget in an Arctic Lake: Implications for Phytoplankton Production. *66*, S. 99-116

67.1988

- Bandel, K.** (1988). Repraesentieren die Euomphaloidea eine natuerliche Einheit der Gastropoden?. Translated Title: Do the Euomphaloidea represent a natural unit of the Gastropoda? *67*, S. 33
- Becker, A.** (1988). Ein Oberkreide Transgressions- und Regressionszyklus; sein Abbild in Sedimentologie, Bathymetrie und Paleoekologie auf dem Cantabrischen Schelf (Nordspanien). Translated Title: An Upper Cretaceous transgressive and regressive cycle and its effect on sedimentology, paleoecology and bathymetry on the Cantabrian Shelf, northern Spain. *67*, S. 35-51
- Dagys, A. S., & Weitschat, W.** (1988). Ammonoid jaws from the boreal Triassic realm (Svalbard and Siberia). *67*, S. 53-71

Engeser, T. (1988). Ein neuer Mikro-Onychit aus dem Untertoarcium von Wolfsburg (Norddeutschland). Translated Title: A new micro-onchite from the lower Toarcian of Wolfsburg, northern Germany. *67*, S. 89-97

Engeser, T., & Appold, T. (1988). A new occurrence of the sphinctozoon sponge *Cassianothalamia zardini* Reitner, 1987 (Demospongiae, Porifera) from the Leckkogel Beds (late Carnian), of Poelling near Launsdorf (Carinthia, Austria). *67*, S. 73-87

Paluskova, K. (1988). Fossile Verwitterungshorizonte in Vulkaniten der Inselgruppe Santorin (Kykladen, Griechenland). Translated Title: Ancient weathering horizons in volcanoclastics of the Santorin island group, Cyclades, Greece. *67*, S. 145-289

Schallreuter, R., & Knita, M. (1988). Ordovician ostracodes of Bohemia. *67*, S. 99-119

Wolcke, F., & Scholz, J. (1988). Ueber die palaeobiogeographische Bedeutung eines Vorkommens caprinider Rudisten aus der Unterkreide von Cebu (Philippinen). Translated Title: The paleobiogeographic significance of an occurrence of caprinid rudists from the Lower Cretaceous of Cebu, Philippines. *67*, S. 121-133

Yochelson, E. L. (1988). Comments and criticisms concerning Bandel's The reconstruction of "Hyolithes Kingi" as annelid worm from the Cambrian of Jordan. *67*, S. 135-144

68.1989

Eiserhardt, K. H. (1989). Baltisphaeren aus Gotlaender Oejlemyrflint (Acritarcha, Oberordoviz, Geschiebe, Schweden). Translated Title: Baltisphaeridium from the Gotland Ojlemyrflint; acritarchs, Upper Ordovician, Sweden. *68*, S. 79-129

Heyckendorf, K. (1989). Zur Stratigraphie und räumlichen Verbreitung der unterdevonischen Lenne-Vulkanite des nordöstlichen Rheinischen Schiefergebirges. Translated Title: Stratigraphy and spatial distribution of Lower Devonian Lenne volcanics in the northeastern Rhenish Schiefergebirge. *68*, S. 52

Hillmer, G. (1989). In memoriam Friedrich Plumhoff. Translated Title: In memory of Friedrich Plumhoff. *68*, S. ii

Mutakyahwa, M., & Valetton, I. (1989). Bauxites and ferrallitic weathering on old land surfaces in Tanzania, East Africa. *68*, S. 53-61

Reitner, J., & Engeser, T. (1989). *Chaetosclera klipsteini* n. gen. n. sp. (Halichondriida, Demospongiae) aus dem Unterkarn der Cassianer-Schichten (Dolomiten, Italien). Translated Title: *Chaetosclera klipsteini* (Halichondriida, Demospongiae) from the lower Carnian San Cassiano Formation, Dolomites, Italy. *68*, S. 159-165

Reitner, J., & Engeser, T. (1989). Coralline Demospongiae (Porifera) aus dem Campan von Poble de Segur (Pyrenäen, Nordspanien). Translated Title: Coralline Demospongiae from the Campanian of Poble de Segur, Pyrenees, northern Spain. *68*, S. 167-177

Sylvester, H. (1989). Vereinfachte Klassifikation von Silikoklasten fuer schnelle sedimentpetrographische Untersuchungen an Duennschliffen. Translated Title: Simplified classification of siliciclastic rocks for quick studies of thin sections. *68*, S. 63-77

van Kempen, T. M. G. (1989). On a new anthaspidellid sponge from the Baltic early Palaeozoic. *68*, S. 131-157

Weitschat, W., & Dagys, A. S. (1989). Triassic biostratigraphy of Svalbard and a comparison with NE-Siberia. *68*, S. 179-213

69.1990

Belousov, V. V. (1990). Endogenous regimes of continents and regularities of their development. *69*, S. 251-265

Galimov, E. M. (1990). Biogeochemistry of stable carbon isotopes. *69*, S. 20

Garagunis, C. N. (1990). Geologische, geophysikalische und ingenieurgeologische Untersuchungen in der antiken Stadt von Philippi (Griechenland); Eine geowissenschaftliche Studie zum "Wunder von Philippi". Translated Title: Study of the geology, geophysics, and engineering geology of the ancient Greek city of Philippi; a geoscientific study of the "Miracle of Philippi". *69*, S. 213-228

Giesecke, A. (1990). Carbonatites and kimberlites; keys for fissiogeneses, expansionism, and geodynamics?. *69*, S. 229-250

Grassl, H. (1990). The exceptional role of the water cycle for global climate. *69*, S. 195-211

Horwitz, R. C. (1990). Structural trends of the Archaean to lower Proterozoic Hamersley Province, Western Australian Shield. *69*, S. 21-33

Ittekkot, V., Haake, B., & Wiesner, M. G. (1990). Organic-mineral interactions in the sea; Implications for atmospheric CO (sub 2) -transfer to the deep ocean. *69*, S. 167-175

Kempe, S., & Depetris, P. J. (1990). Labile carbon in the Parana River basin. *69*, S. 157-165

Konta, J. (1990). Manganese in suspended matter of the Bohemian Massif's rivers. *69*, S. 177-193

Michaelis, W., Boenisch, G., Jenisch, A., Ladage, S., Richnow, H. H., Seifert, R., & Stoffers, P. (1990). Methane and ³He anomalies related to submarine intraplate volcanic activities. *69*, S. 117-127

Prashnowsky, A. A., & Burger, K. (1990). Biogeochemisch-fazielle und elektronenmikroskopische Untersuchungen an Gesteinen und Floezen des Ruhr- und Sued-Limburger-Steinkohlenreviers. Translated Title: Biogeochemistry and electron microscopy studies on rocks and veins of the Ruhr- and South Limburg-coal districts. *69*, S. 45-75

- Prashnowsky, A. A.** (1990). Biogeochemical study of enhydros (Brazil). *69*, S. 35-43
- Suendermann, J., & Puls, W.** (1990). Modelling of suspended sediment dispersion and related transport of lead in the North Sea. *69*, S. 143-155
- Wollanke, G., & Zimmerle, W.** (1990). Petrographic and geochemical aspects of fossil embedding in exceptionally well preserved fossil deposits. *69*, S. 77-97
- Wong, H. K., Ulug, A., Luedmann, T., & Ozel, E.** (1990). Neotectonic structure of the Sea of Marmara. *69*, S. 99-116
- Zhang, S., & Haake, B.** (1990). Dissolved and particulate carbohydrates during a tidal cycle in the Elbe estuary. *69*, S. 129-141

70.1992

SCOPE/UNEP Sonderband: The sea off Mount Tambora. Editors: Egon T. Degens, How Kin Wong, M.T. Zen

- Buch, B., Degens, E. T., & Kempe, S.** (1992). Sediment characteristics and hydrochemistry of Saleh Bay (Indonesia); first results. *70*, S. 59-86
- Buch, B., Ittekkot, V., & Degens, E. T.** (1992). Shock metamorphism of volcanic phenocrysts from deep sea sediments (Bay of Bengal). *70*, S. 227-238
- Carey, S., & Sigurdsson, H.** (1992). Generation and dispersal of tephra from the 1815 eruption of Tambora Volcano, Indonesia. *70*, S. 207-226
- Eisma, D., van Put, A., & van Grieken, R.** (1992). Distribution and composition of suspended matter around Sumbawa Island, Indonesia. *70*, S. 137-147
- Holler, P.** (1992). Geotechnical properties of sediments around Sumbawa. *70*, S. 119-136
- Huber, G., Huber, R., Jones, B., Lauerer, G., Neuner, A., Segerer, A., . . . Degens, E. T.** (1992). Hyperthermophilic Archae- and Eubacteria occurring within Indonesian hydrothermal areas. *70*, S. 161-172
- Liebezeit, G.** (1992). Inorganic nutrients and particulate phosphorus distributions in the waters around Sumbawa, Indonesia. *70*, S. 149-159
- Schwarz, B., Walter, P., Botz, R., Plueger, W., & Stoffers, P.** (1992). Mineralogy and geochemistry of sediments off Sumbawa (Indonesia). *70*, S. 87-117
- Sigurdsson, H., & Carey, S.** (1992). Eruptive history of Tambora Volcano, Indonesia. *70*, S. 187-206
- Wong, H. K., Degens, E. T., & Zen, M. T.** (1992). The sea off Tambora; a summary. *70*, S. 239-244

Wong, H. K., & Salge, U. (1992). Seismic facies, sedimentary structures and tectonics around Sumbawa Island (Indonesia). *70*, S. 37-57

Zen, M. T., & Ganie, B. M. (1992). Tambora 1815 eruption. *70*, S. 173-185

Zen, M. T., Soemarno, S., & Ilyas, F. (1992). Structural pattern and tectonic position of Sumbawa Island in East Indonesia. *70*, S. 21-35

Zen, M. T., & Sunu, T. P. (1992). Tsunamigenic Sumbawa earthquake of August 19, 1977. *70*, S. 19

71.1991

Buechsel, P. (1991). Die Morphologie des Kuestensaumes von Ost-Cebu (Zentralphilippinen); Ergebnis pleistozäner Meeresspiegelschwankungen oder tektonischer Bewegungen?. Translated Title: The morphology of coastal features of eastern Cebu, central Philippines; results of Pleistocene sea-level variations or tectonic movements? , *71*, S. 243-251

Buechsel, P., Hillmer, G., Kerntke, M., Scholz, J., & Wolcke, F. (1991). Geodokumentation II; Philippinen. Translated Title: Geodocumentation II; The Philippines. *71*, S. 45-50

Buechsel, P., Kerntke, M., Wolcke, F., & Hillmer, G. (1991). Geologic development of Cebu Island/central Philippines; group report. *71*, S. 53-60

Kerntke, M. (1991). Zur geotektonischen Entwicklung der Visayas/Philippinen und ihres südost-asiatischen Rahmens. Translated Title: The geotectonic evolution of the Visayan Islands, Philippines and their southeast Asian framework. *71*, S. 61-92

Kerntke, M., Tarkian, M., & Baumann, A. (1991). Geochemie und Geochronologie der Magmatite von Lutopan und Talamban, Cebu/Philippinen. Translated Title: Geochemistry and geochronology of magmatite from Lutopan and Talamban, Cebu, Philippines. *71*, S. 93-120

Scholz, J. (1991). Die Bryozoenfauna der philippinischen Riffregion Cebu. Translated Title: Bryozoan fauna of the Philippine reef region of Cebu. *71*, S. 253-403

Wolcke, F. (1991). Geologische und hydrogeologische Untersuchungen im Gebiet nördlich von Cebu City (Philippinen). *71*, S. 121-241

72.1992

SCOPE/UNEP Sonderband: Interactions of biogeochemical cycles in aqueous ecosystems, Part 7.

Akhremenkov, A. A., & Voinov, A. A. (1992). Interactive system for biogeochemical modeling of water bodies. *72*, S. 263-272

Artemyev, V. E. (1992). Transformation of organic matter in the Amazon River estuary. *72*, S. 157-163

- Bertolino, S. R. A., & Depetris, P. J.** (1992). Mineralogy of the clay-sized suspended load from headwater tributaries of the Parana River; Bermejo, Pilcomayo, and Paraguay rivers. 72, S. 19-31
- Cook, R. B.** (1992). Controls on sulfur cycling in small lakes. 72, S. 211-223
- Degermendgi, A. G., Gubanov, V. G., Abroso, N. S., Adamovich, V. A., Bolsunovski, A. Y., Gladyshev, M. I., . . . Khromecek, E. B.** (1992). A small simulation system for modeling the carbon cycle in the Krasnoyarsk reservoir. 72, S. 95-107
- Giblin, A. E., Likens, G. E., & Howarth, R. W.** (1992). The importance of reduced inorganic sulfur to the sulfur cycle of lakes. 72, S. 233-244
- Gordeev, V. V., Konnov, V. A., & Konnova, Y. V.** (1992). Nitrogen forms in the Amazon River basin and estuary. 72, S. 133-147
- Gorlenko, V. M.** (1992). The role of purple and green bacteria in the carbon and sulfur cycles in stratified lakes. 72, S. 51-57
- Grinenko, V. A., & Krouse, H. R.** (1992). Isotope data on the nature of riverine sulfates. 72, S. 18
- Howarth, R. W.** (1992). Indirect effects of sulfur on the carbon cycle of aquatic ecosystems; molybdenum availability, planktonic nitrogen fixation and nitrogen limitation. 72, S. 201-209
- Karnachuk, O. V., & Ivanov, M. V.** (1992). Geochemical activity of sulfate-reducing bacteria in coastal shallow sediments of the Sea of Japan, Okhotsk, Caribbean and Black seas. 72, S. 181-191
- Khrustalev, Y. P., & Gordeev, V. V.** (1992). Geochemistry of sedimentation in estuaries of rivers from the arid climate zone. 72, S. 149-156
- Kuchinskene, A. A.** (1992). Peculiarities of bacterial hydrogen sulfide formation in the Curonian Bay and Drukshiai Lake (Lithuania). 72, S. 59-67
- Lein, A. Y., Ivanov, M. V., & Vainshtein, M. V.** (1992). The hydrogen sulfide balance in the Black Sea. 72, S. 165-180
- Liebezeit, G.** (1992). Water and porewater chemistry of a Lake Baikal central basin station. 72, S. 41-50
- Lisitzin, A. P.** (1992). Biogeochemical differentiation of ocean matter and biogenic substance matrices. 72, S. 193-200
- Martins, O., & Olofin, E. A.** (1992). Environmental impact of man-made lakes on river physico-chemical systems; case studies in Nigeria. 72, S. 113-121

- Namsaraev, B. B., & Ivanov, M. V.** (1992). Seasonal variations of cellulose decomposition rates in bottom sediments of freshwater lakes. 72, S. 69-74
- Paolini, J.** (1992). Guri Lake (Venezuela), a blackwater reservoir. 72, S. 123-132
- Reeburgh, W. S., & Nebert, D. L.** (1992). Oceanographic observations during the 1986 damming of Russell Fjord by the Hubbard Glacier. 72, S. 251-262
- Samarkin, V. A., Rivkina, E. M., & Pachevsky, Y. A.** (1992). Biogeochemical processes in impoundments and their impact on water quality. 72, S. 85-93
- Sun Shuncaï** (1992). First assessment of sediment transportation and deposition in lakes and rivers of the Changjiang Basin. 72, S. 33-40
- Zhang Yi-Gang** (1992). Drought and flood frequency in the Changjiang River basin during the past 1020 years. 72, S. 245-249

73.1992

- Bandel, K.** (1992). Ueber Caenogastropoda der Cassianer Schichten (Obertrias) der Dolomiten (Italien) und ihre taxonomische Bewertung. Translated Title: Caenogastropoda of the San Cassiano Formation (Upper Triassic) of the Dolomites (Italy) and their taxonomic interpretation. 73, S. 37-97
- Engeser, T., & Suthhof, A.** (1992). Onychiten (Belemniten-Armhaken) aus dem Barreme von Sarstedt (Niedersachsen). Translated Title: Anatomy of a Barremian belemnite from Sarstedt, Lower Saxony. 73, S. 99-117
- Herczek, A., & Popov, Y. A.** (1992). A remarkable psallopinous bug from Baltic amber (Insecta; Heteroptera, Miridae). 73, S. 235-239
- Heyckendorf, K., & Jung, D.** (1992). Tabora Volcano, Sumbawa Island, Indonesia; a comparison of ancient and modern volcanic products. 73, S. 35
- Kuschel, G.** (1992). Reappraisal of the Baltic amber Curculionoidea described by E. Voss. 73, S. 191-215
- Popov, Y. A., & Herczek, A.** (1992). The first Isometopinae from Baltic amber (Insecta; Heteroptera, Miridae). 73, S. 241-258
- Schallreuter, R., & Kanygin, A. V.** (1992). Eine neue Art der baltoskandischen Gattung Tetrada aus Sibirien (Ostracoda, Ordoviz). Translated Title: A new species of the baltoscandian genus Tetrada (Ostracoda, Ordovician) from Siberia. 73, S. 119-127
- Senowbari-Daryan, B., & Kuss, J.** (1992). Anomuren-Koprolithen aus der Kreide von Aegypten. Translated Title: Anomuran coprolites from the Cretaceous of Egypt. 73, S. 129-157
- Strauss, C., & Lund, J. J.** (1992). A Middle Miocene dinoflagellate cyst microflora from Papendorf near Hamburg, Germany. 73, S. 159-189

Weitschat, W., & Wichard, W. (1992). Farbeffekte bei Komplexaugen von Koecherfliegen (Insecta, Trichoptera) im Bernstein. Translated Title: Color effects in complex eyes of the Trichoptera (Insecta) in amber. *73*, S. 223-233

Wichard, W., & Sukatcheva, I. (1992). Koecherfliegen des Baltischen Bernsteins. 3. *Lithax herrlingi* n. sp., eine fossile Art der Goeridae (Insecta; Trichoptera). *73*, S. 217-222

74.1993

SCOPE/UNEP Sonderband: Transport of carbon and minerals in major world rivers, Part 6.

Abu el Ella, E. M. A. (1993). Preliminary studies on the geochemistry of the Nile River basin, Egypt. *74*, S. 115-135

Cadee, G. C., Sudarmadji, R., & Hegeman, J. (1993). Conservative and non-conservative mixing of DOC in some Indonesian estuaries. *74*, S. 227-239

Callender, E., & Smith, R. A. (1993). Deposition of organic carbon in Upper Missouri River reservoirs. *74*, S. 65-79

Degens, E. T. (1993). List of publications. *74*, S. 295-319

Eisma, D. (1993). Sedimentation in the Dutch-German Wadden Sea. *74*, S. 253-274

Gittelson, I. I., Degermendzhy, A. G., Abroso, N. S., Gorstko, A. B., Degermendzhi, N. N., & Markman, G. S. (1993). Ecology and economics of Yenisei water utilization; methodological aspects. *74*, S. 193-207

Kempe, S. (1993). Damming the Nile. *74*, S. 81-114

Machado, M. A. H., & Depetris, P. J. (1993). Carbon and minerals transport in an altered drainage basin; initial observations in the Suquia River (Cordoba, Argentina). *74*, S. 12

Manosa, W., & Depetris, P. J. (1993). Preliminary results on carbon fluxes in the Uruguay River. *74*, S. 13-22

Martinelli, L. A., Forsberg, B. R., Victoria, R. L., Devol, A. H., Mortatti, J., Ferreira, J. R., . . . de Oliveira, E. (1993). Suspended sediment load in the Madeira River. *74*, S. 41-54

Paredes, J. F., Figueiredo, G., & Rocha, W. L. C. (1993). Hydrobiological studies of the drainage system of the Bananeiras Reservoir, the rivers Paraguacu and Jacuipe. *74*, S. 23-39

Popa, A. (1993). Liquid and sediment inputs of the Danube River into the north-western Black Sea. *74*, S. 137-149

Rull, V., & Vegas-Vilarrubia, T. (1993). Objective dimension choice and multidimensional plotting as a means to improve the PCA interpretation in the earth sciences; examples from paleolimnology and river ecology. *74*, S. 55-64

Sun, S., Zho, Z., & Han Xiaozhong (1993). 210-Pb sedimentation rates and deposition processes in Tai Lake, China. *74*, S. 159-165

Sun Shuncaï (1993). Sedimentation rates and accumulation of organic carbon in Chinese lakes. *74*, S. 151-157

Zhang Yi-Gang (1993). Some aspects of the biogeochemistry of organic matter, nutrients and heavy metals near the Changjiang River mouth. *74*, S. 217-226

Zhang Yi-Gang (1993). Transport of sediment and organic matter in fresh-water systems and offshore of China. *74*, S. 167-192

75.1993

Aqrabawi, M. (1993). Oysters (Bivalvia-Pteriomorphia) of the Upper Cretaceous rocks of Jordan; palaeontology, stratigraphy and comparison with the Upper Cretaceous oysters of Northwest Europe. *75*, S. 135

Bandel, K., & El-Nakhal, H. A. (1993). The history and relationship of Scaliola, a gastropod that cements particles to its shell. *75*, S. 171-191

Dagys, A. S., & Weitschat, W. (1993). Correlation of the Boreal Triassic. *75*, S. 249-256

Dagys, A. S., Weitschat, W., Konstantinov, A., & Sobolev, E. (1993). Evolution of the boreal marine biota and biostratigraphy at the Middle/Upper Triassic boundary. *75*, S. 193-209

Putshkov, P. V., & Popov, Y. A. (1993). A remarkable nymph of a centrocnemid bug from the Baltic amber (Insecta; Heteroptera, Reduviidae). *75*, S. 211-229

Voigt, E. (1993). Neue cribrimorphe Bryozoen (Fam. Pelmatorporidae) aus einem Maastrichtium Schreiekreide-Geschiebe von Zweedorf (Holstein). Translated Title: New cribrimorph bryozoans (Fam. Pelmatorporidae) from a Maastrichtian chalk erratic at Zweedorf, Schleswig-Holstein. *75*, S. 137-169

Wunderlich, J. (1993). Die ersten fossilen Becherspinnen (Fam. Cyatholipidae) in Baltischem und Bitterfelder Bernstein (Arachnida; Araneae). Translated Title: The first fossils of the family Cyatholipidae (Arachnida, Araneae) in Baltic and Bitterfeld ambers. *75*, S. 231-241

Wunderlich, J. (1993). Die ersten fossilen Speispinnen (Fam. Scytodidae) im Baltischen Bernstein (Arachnida; Araneae). Translated Title: The first fossils of the family Scytodidae (Arachnida, Araneae) in Baltic amber. *75*, S. 243-247

76.1993

SCOPE/UNEP Sonderband: Monsoon Biogeochemistry.

- Barnett, T. P., Duemenil, L., Schlese, U., Roeckner, E., & Latif, M.** (1993). The effect of Eurasian snow cover on regional and global climate variations. *76*, S. 9
- Bhosle, N. B.** (1993). Some aspects of microfouling and corrosion of materials in the tropical marine environment. *76*, S. 157-183
- Haake, B., Rixen, T., & Ittekkot, V.** (1993). Variability of monsoonal upwelling signals in the deep western Arabian Sea. *76*, S. 85-96
- Jenisch, A., Haake, B., & Michaelis, W.** (1993). Sterol fluxes to the deep Arabian Sea as indicators for organic matter composition. *76*, S. 141-156
- Kranck, K., Milligan, T., Khatun, S., Ahmad, J. U., Hussain, M., Safiullah, S., & Ali, S. I.** (1993). Inorganic grain size analysis of some major Bangladesh rivers. *76*, S. 11-17
- Madhupratap, M., & Parulekar, A. H.** (1993). Biological processes of the northern Indian Ocean. *76*, S. 51-72
- Rajendran, A., Kumar, M. D., Ramaiah, N., Ittekkot, V., & Desai, B. N.** (1993). Variable relationships of DOC with oxygen in the northwestern Indian Ocean and their ecological implications. *76*, S. 73-83
- Ramaswamy, V.** (1993). Lithogenic fluxes to the northern Indian Ocean; an overview. *76*, S. 97-111
- Reemtsma, T., & Ittekkot, V.** (1993). Fatty acids in settling particles in the northern Indian Ocean. *76*, S. 131-139
- Rixen, T., & Haake, B.** (1993). Fluxes and decomposition of organic matter in the western Arabian Sea; amino acids and hexosamines. *76*, S. 113-130
- Schaefer, P., Kreilein, H., Mueller, M., & Gravenhorst, G.** (1993). Cycling of inorganic nitrogen compounds between atmosphere and ocean in tropical areas off South East Asia. *76*, S. 19-36
- Shenoi, S. S. C., Shetye, S. R., Gouveia, A. D., & Michael, G. S.** (1993). Salinity extrema in the Arabian Sea. *76*, S. 37-49
- Sirocko, F.** (1993). Aerosol dust in late Quaternary sediments of the northern Indian Ocean. *76*, S. 185-192

77.1996

Jost Wiedmann Memorial Volume: New developments in cretaceous research topics. Proceedings of the 4th international cretaceous symposium, Hamburg 1992

- Adatte, T., Stinnesbeck, W., Remane, J., & Hubberten, H.** (1996). Paleogeographic setting of center-east Mexico at the Jurassic/Cretaceous boundary, correlation with NE Mexico. *77*, S. 379-393
- Alabushev, A.** (1996). Albian-Cenomanian correlations in NE Russia. *77*, S. 39-48
- Bandel, K., & Mustafa, H.** (1996). Constructional morphology of some Upper Cretaceous rudists of the Ajlun (Jordan). *77*, S. 603-635
- Calonge, M. A., Garcia, A., & Segura, M.** (1996). Middle Cretaceous biostratigraphic units in the Iberian Ranges (Spain) based on alveolinids. *77*, S. 149-158
- Combemorel, R.** (1996). Figuration d'une petite faune de belemnites du Cretace superieur de Chartreuse (Chaines Subalpines, France). Translated Title: A small belemnite fauna from the Upper Cretaceous of Chartreuse, Subalpine Ranges, France. *77*, S. 159-164
- Crame, J. A.** (1996). Early Cretaceous bivalves from the South Shetland Islands, Antarctica. *77*, S. 125-127
- Dhondt, A. V., Naidin, D. P., Levina, A. P., & Simon, E.** (1996). Maastrichtian faunas from the Turgay Strait (northern Kazakhstan). *77*, S. 49-65
- Ernst, G., Kohring, R., & Rehfeld, U.** (1996). Gastrolithe aus dem Mittel-Cenomanium von Baddeckenstedt (Harzvorland) und ihre palaeogeographische Bedeutung fuer eine prae-ilsedische Harzinsel. Translated Title: Gastroliths from the middle Cenomanian of Baddeckenstedt (Harz Foreland) and their paleogeographic significance for an early Harz Island. *77*, S. 503-543
- Graefe, K.-U.** (1996). Sedimentary cycles in the Upper Cretaceous of the Basco-Cantabrian Basin (N. Spain); an application of sequence stratigraphy. *77*, S. 243-270
- Haggart, J. W.** (1996). Stratigraphy and correlation of Cretaceous rocks of the northern Insular Belt, Western Canada. *77*, S. 67-73
- Harries, P. J., Kauffman, E. G., Crampton, J. S., Bengtson, P., Cech, S., Crame, J. A., . . . Wood, C. J.** (1996). Lower Turonian Euramerica Inoceramidae; a morphologic, taxonomic, and biostratigraphic overview; a report from the First workshop on Early Turonian inoceramids (Oct. 5-8, 1992) in Hamburg, Germany, organized by Heinz Hilbrecht and Peter J. Harries. *77*, S. 641-671
- Herm, D., & Troeger, K.-A.** (1996). In memoriam Jost Wiedmann; (31st March 1931-2nd December 1993). *77*, S. 12
- Hoedemaeker, P. J.** (1996). Proposal for a new stratigraphic position for the Hauterivian-Barremian boundary at one of the faunal turnovers that are caused by long-term cyclic high-amplitude sea-level falls. *77*, S. 271-273
- Kakabadze, M. V.** (1996). Palaeobiogeography and the problem of estimation of the nature of global eustatic events. *77*, S. 395-401

- Kelly, S. R. A.** (1996). The austral paleobiogeography of an Early Cretaceous (Albian) trigoniid bivalve assemblage from the upper part of the Fossil Bluff Group, Alexander Island, Antarctica. 77, S. 129-139
- Koch, C. F.** (1996). Bivalve species distributions in uppermost Cretaceous Boreal marine beds, Europe and North America and the implied taxonomic problems. 77, S. 75-81
- Kopaevich, L. F.** (1996). The Turonian strata in southwestern Crimea and Mangyshlak (foraminiferal biostratigraphy and palaeobiogeography). 77, S. 203-211
- Kutek, J., & Marcinowski, R.** (1996). Faunal changes in the Valanginian of Poland; tectonic or eustatic control?. 77, S. 83-88
- Kutek, J., & Marcinowski, R.** (1996). The Mid-Cretaceous Boreal/Tethyan biogeographical boundary in the Carpatho-Balkan area. 77, S. 141-147
- Malchus, N., Dhondt, A. V., Troeger, K.-A., & Christensen, W. K.** (1996). The "Glaucanie de Lonze" (?Coniacian-Santonian) near Gembloux (SE Belgium); Part I, Sedimentology, biostratigraphy, palaeoecology and -biogeography. 77, S. 403-422
- Malchus, N.** (1996). Palaeobiogeography of Cretaceous oysters (Bivalvia) in the western Tethys. 77, S. 165-181
- Michalik, J.** (1996). The microstructure and function of some Late Jurassic and Lower Cretaceous aptychi from the Western Carpathians. 77, S. 213-220
- Mortimore, R. N., & Pomerol, B.** (1996). A revision of Turonian litho- and biostratigraphy in the Anglo-Paris Basin. 77, S. 423-441
- Mutterlose, J.** (1996). Calcareous nannofossil palaeoceanography of the Early Cretaceous of NW Europe. 77, S. 291-313
- Naidin, D. P.** (1996). Cenomanian/Turonian and Maastrichtian/Danian events in the eastern European palaeobiogeographical region. 77, S. 369-378
- Naji, F.** (1996). Biostratigraphy and economic significance of Cretaceous sediments in Jordan. 77, S. 443-460
- Owen, H. G.** (1996). Boreal and Tethyan late Aptian to late Albian ammonite zonation and palaeobiogeography. 77, S. 461-481
- Schoenfeld, J., Schmid, F., & Schulz, M. G.** (1996). Biostratigraphical long-distance correlation of the lower Maastrichtian between Boreal and Tethyan oceanic realms; NW Germany, E Atlantic and Bavaria. 77, S. 483-487
- Schoenfeld, J., Schulz, M. G., McArthur, J. M., Burnett, J., Gale, A., Hambach, U., . . . Wray, D. S.** (1996). New results on biostratigraphy, palaeomagnetism, geochemistry and correlation

from the standard section for the Upper Cretaceous white chalk of northern Germany (Laegerdorf-Kronsmoor-Hemmoor). 77, S. 545-575

- Seibertz, E.** (1996). Endemic and cosmopolitan *Inoceramus* species from Egyptian Upper Cretaceous trans- and regression cycles. 77, S. 315-335
- Shulgina, N. I.** (1996). Biostratigraphic chart for the Lower Cretaceous of the central and eastern European (Russian) Platform. 77, S. 89-93
- Tarkowski, R.** (1996). Inoceramid biostratigraphy in the Turonian of the Opole Trough (southwestern Poland). 77, S. 489-501
- Troeger, K.-A.** (1996). The Upper Cretaceous of Saxony in the framework of the European Cretaceous development. 77, S. 95-104
- Vasicek, Z.** (1996). Aptychi and stratigraphy of the Lower Cretaceous in the Western Carpathians. 77, S. 221-241
- Voigt, E.** (1996). Submarine Aragonit-Loesung am Boden des Schreibkreide-Meeres. Translated Title: Paleontological evidence for aragonite shell dissolution on the chalk sea floor. 77, S. 577-601
- Voigt, T., & Troeger, K.-A.** (1996). Sea-level changes during late Cenomanian and early Turonian in the Saxonian Cretaceous Basin. 77, S. 275-290
- Werner, C.** (1996). Contributions to the first Late Cretaceous terrestrial vertebrate fauna of northern Sudan. 77, S. 637-640
- Wiedmann, J., & Graefe, K.-U.** (1996). New development and perspectives in Cretaceous stratigraphy. 77, S. 13-38
- Wilmsen, M., Wiese, F., & Ernst, G.** (1996). Facies development, events and sedimentary sequences in the Albian to Maastrichtian of the Santander depositional area, northern Spain. 77, S. 337-367
- Young, K.** (1996). Neocomian desmocerids from Mexico. 77, S. 183-189
- Ziolkowska, M., & Zimmerle, W.** (1996). The boreal "Flammenmergel" lithofacies in the Lower Saxony Basin (Germany) as compared with corresponding rocks in the Intrasudetic Basin (Poland). 77, S. 105-123
- Zuegel, P.** (1996). Distribution of calcareous dinoflagellate cysts in the Cenomanian/Turonian of western France. 77, S. 191-201

78.1995

- Engeser, T.** (1995). Berippte Nautiliden (Cephalopoda) aus der Mitteltrias von Epidauros (Peloponnes, Griechenland). Translated Title: Ribbed nautiloids (Cephalopoda) from the Middle Triassic of Epidauros, Peloponnes, Greece. 78, S. 95-127

Gratshev, V. G., & Zherikhin, V. V. (1995). A new anthribid genus from the Baltic amber (Insecta; Coleoptera, Anthribidae). *78*, S. 149-157

Karl, H.-V. (1995). Ueber einen fossilen Schildkroetenrest (Reptilia, Testudines) von Kuba. Translated Title: Some fossil turtles (Reptilia, Testudines) from Cuba. *78*, S. 129-137

Karl, H.-V. (1995). Ueber einen mesozoischen Schildkroetenrest (Reptilia, Testudines) aus der Mongolei. Translated Title: Some Mesozoic turtle remains (Reptilia, Testudines) from Mongolia. *78*, S. 139-143

Klimaszewski, S. M. (1995). *Succinopsylla dominicana* n. gen. n. sp., a new jumping plant louse from the Dominican amber (Insecta; Homoptera, Rhinopsyllidae). *78*, S. 189-195

Mutakyahwa, M. K. D., & Valetton, I. (1995). Late Cretaceous-lower Tertiary weathering event and its laterite-bauxite formation in Tanzania. *78*, S. 65

Pohl, H., & Kinzelbach, R. (1995). Neufunde von Faecherflueglern aus dem Baltischen und Dominikanischen Bernstein (Strepsiptera; Bohartillidae & Myrmecolacidae). Translated Title: New discovery of winged insects from Baltic and Dominican Republic amber, Strepsiptera; Bohartillidae & Myrmecolacidae. *78*, S. 197-209

Putshkov, P. V., & Popov, Y. A. (1995). *Collarhamphus mixtus* n. gen. sp.; the first Collartidina (Heteroptera; Reduviidae, Emesinae) from the Baltic amber. *78*, S. 179-187

Schaefer, P., & Ittekkot, V. (1995). Isotopic biogeochemistry of nitrogen in the northern Indian Ocean. *78*, S. 67-93

Wichard, W. (1995). Koecherfliegen des Dominikanischen Bernsteins. 8. *Cubanoptila grimaldii* n. sp., eine weitere fossile Art der Glossosomatidae (Insecta, Trichoptera). *78*, S. 159-165

Wichard, W. (1995). Koecherfliegen des Dominikanischen Bernsteins. 9. Fossile Leptoceridae der Gattung *Setodes* RAMBUR, 1842 (Insecta, Trichoptera). *78*, S. 167-177

Zherikhin, V. V. (1995). A weevil of the tribe Curculionini (Insecta; Coleoptera, Curculionidae) from the Paleogene of Havighorst, Germany. *78*, S. 145-148

79.1996

Bandel, K. (1996). Phylogeny of the Caecidae (Caenogastropoda). *79*, S. 53-115

Engeser, T., & Riedel, F. (1996). The evolution of the Scaphopoda and its implications for the systematics of the Rostroconchia (Mollusca). *79*, S. 117-138

Favorskaya, T. A., Gordon, D. P., & Voigt, E. (1996). New Bryozoa (Cheilostomatida, Ascophorina) from the Paleocene of Uzbekistan. *79*, S. 171-181

Guptha, M. V. S., & Mohan, R. (1996). Seasonal variability of the vertical fluxes of *Globigerina bulloides* (d'Orbigny) in the northern Indian Ocean. *79*, S. 17

Johanson, K. A., & Wichard, W. (1996). Caddis flies of Dominican amber; X, Fossil species of Helicopsychidae (Trichoptera). *79*, S. 195-209

Lourenco, W. R., & Weitschat, W. (1996). More than 120 years after its description, the enigmatic status of the genus of the Baltic amber scorpion "Tityus eogenus" MENGE, 1869 can finally be clarified. *79*, S. 183-193

Popov, Y. A. (1996). Water measures from the Baltic amber (Heteroptera, Gerromorpha, Hydrometridae). *79*, S. 211-221

Schallreuter, R. (1996). Ordovizische Ostrakoden Argentiniens II. Translated Title: Argentinian Ordovician ostracods; II. *79*, S. 139-169

Schumann, A. (1996). Bauxitization of a nepheline syenite from Pocos de Caldas, Minas Gerais, Brazil. *79*, S. 19-43

Sobanski, R., & Valetton, I. (1996). Deep saprolitic weathering of the Miocene basalt from Triebendorf/Oberpfalz, southern Germany. *79*, S. 45-52

80.1997

Bandel, K., Shinaq, R., & Weitschat, W. (1997). First insect inclusions from the amber of Jordan (Mid Cretaceous). *80*, S. 213-223

Fryda, J., & Bandel, K. (1997). New Early Devonian gastropods from the Plectonotus (Boucotonotus) - Palaeozygopleura Community in the Prague Basin (Bohemia). *80*, S. 57

Fryda, J., & Manda, S. (1997). A gastropod faunule from the Monograptus uniformis graptolite Biozone (Early Lochkovian, Early Devonian) in Bohemia. *80*, S. 59-121

Herczek, A., & Popov, Y. A. (1997). New peculiar representatives of the Isometopinae from the Baltic amber (Heteroptera; Miridae). *80*, S. 189-195

Herczek, A., & Popov, Y. A. (1997). On the mirid genera Archeofulvius CARVALHO and Balticofulvius n.gen. from the Baltic amber (Heteroptera; Miridae, Cyllapinae). *80*, S. 179-187

Klimaszewski, S. (1997). New psyllids from the Baltic amber (Insecta; Homoptera, Aphalaridae). *80*, S. 157-171

Podenas, S. (1997). New Macrochile LOEW, 1850 (Diptera, Tanyderidae) from the Baltic amber. *80*, S. 173-177

Reicherter, K. (1997). Geochemistry of metabasaltic rocks of the Sierra de los Filabres (Betic Cordillera, Southern Spain). *80*, S. 143-155

Reicherter, K. (1997). Geodynamic framework of Mesozoic Subbetic basaltic rocks (Southern Spain). *80*, S. 123-141

Wichard, W. (1997). Schlammfliegen aus Baltischem Bernstein (Megaloptera, Sialidae). *80*, S. 197-211

81.1998

Arnold, V. (1998). Vergessene Einschlüsse - Blütenstaub in Baltischem Bernstein. Translated Title: Forgotten inclusions; pollen in Baltic amber. *81*, S. 269-282

Bandel, K. (1998). Scissurellidae als Modell fuer die Variationsbreite einer natuerlichen Einheit der Schlitzbandschnecken (Mollusca, Archaeogastropoda). Translated Title: Scissurellidae as a model for the variability of form of Archaeogastropoda. *81*, S. 120

Boehme, W., & Weitschat, W. (1998). Redescription of the Eocene lacertid lizard *Nucras succinea* Boulenger, 1917 from Baltic amber and its allocation to *Succinilacerta* n.gen. *81*, S. 203-222

Dagys, A. (1998). Earliest boreal Anisian Czekanowskitidae (Ammonoidea). *81*, S. 121-142

Golub, V. B., & Popov, Y. A. (1998). Cantacaderid lace bugs from the Baltic amber (Heteroptera, Tingidae, Cantacaderinae). *81*, S. 223-250

Heiss, E. (1998). Revision der Familie Aradidae des Baltischen Bernsteins; I. Bisher beschriebene Taxa der Gattung *Aradus* und zwei neue Arten (Insecta, Heteroptera). Translated Title: Revision of the Family Aradidae of Baltic amber; I, Formerly described taxa of the genus *Aradus* and two new species; Insecta, Heteroptera. *81*, S. 251-268

Reicherter, K., & Pletsch, T. (1998). Eocene ash layers from ODP Leg 171B, Site 1051 (Blake Nose, offshore Florida); petrography, geochemistry and stratigraphic correlation. *81*, S. 185-202

Reuther, C.-D., & Adam, J. (1998). Krustendynamik und Neotektonische Deformationen am aktiven suedamerikanischen Plattenrand in Nord-Chile. Translated Title: Crustal dynamics and neotectonic deformation on the active South American plate boundaries in northern Chile. *81*, S. 143-162

Shinaq, R., & Bandel, K. (1998). Lithostratigraphy of the Belqa Group (Late Cretaceous) in northern Jordan. *81*, S. 163-184

82.1999

SCOPE Sonderband: Biogeochemistry of rivers in tropical South and Southeast Asia

Adi, S. (1999). The Brantas River, East Java, Indonesia; some preliminary data. *82*, S. 173-183

Annadurai, S., Bandyopadhyay, D., Pal Kaur, S., & Chatterjee, C. (1999). On the Environmental Information System (ENVIS); centre on biogeochemistry. *82*, S. 77-86

Chakrapani, G. J., & Raymahashay, B. (1999). Metal pollution due to mining activities. *82*, S. 255-260

- Cheng Heqin B1 - Ittekkot, V.** (1999). Sediment flux from the Changjian River into the East China Sea. *82*, S. 165-172
- Das, B. K., Schaefer, P., & Jennerjahn, T.** (1999). Biogeochemical studies in Lesser Himalayan lakes of Jammu District, India. *82*, S. 245-253
- Datta, D. K.** (1999). Dissolved phosphate in the Ganges-Brahmaputra-Meghna river system in the Bengal Basin, Bangladesh. *82*, S. 131-138
- Dekov, V., Subramanian, V., & Van Grieken, R.** (1999). Chemical composition of riverine suspended matter and sediments from the Indian sub-continent. *82*, S. 99-109
- Duemenil, L.** (1999). Simulation of the Indian summer monsoon in the land-ocean-atmosphere system of a coupled GCM. *82*, S. 32
- Dupre, B., Viers, J., Oliva, P., Fortune, J. P., Braun, J. J., Martin, F., & Robain, H.** (1999). The effect of organic matter on chemical weathering in the tropics. *82*, S. 35-38
- Gujja, B.** (1999). Freshwater degradation and biodiversity in developing countries. *82*, S. 73-76
- Hungspreugs, M., & Utoomprurkporn, W.** (1999). Trace metal contamination in Thai rivers. *82*, S. 139-157
- Ittekkot, V., & Subramanian, V.** (1999). Human impact on the biogeochemistry of rivers; an introduction. *82*, S. 5
- James, R. A., & Ramesh, R.** (1999). Organochlorine pesticides in water and sediment of the Tamiraparani River basin, South India. *82*, S. 211-217
- Kumar Bajpayee, S., & Verma, A.** (1999). Distribution of carbon and phosphorus in river-backwater system of Kerala, India. *82*, S. 219-233
- Mahanta, C.** (1999). Carbon, nitrogen and phosphorus distribution in the sediments of the Brahmaputra River basin of North-East India. *82*, S. 197-210
- Milliman, J. D.** (1999). Flux and fate of fluvial sediment discharge to the ocean with particular emphasis on Southern Asia and Oceania. *82*, S. 33-34
- Natarajan, K. A.** (1999). Microbiological techniques and applications in biogeochemistry. *82*, S. 55-72
- Nguyen Tac, A., & Vo Duy Son B1 - Ittekkot, V.** (1999). Hydrographic and biogeochemical studies in the Mekong Delta, Vietnam. *82*, S. 285-297
- Pham Van, N., Nguyen Vu, T., & Pham Thi Minh Hanh** (1999). Dissolved solids, suspended matter and sediments in the Red River, Vietnam; a preliminary study. *82*, S. 159-164

Ramanujam, N., & Mukesh, M. V. (1999). Metal concentrations in coral skeletons in Tuticorin Group of Islands, Gulf of Mannar, India. *82*, S. 279-283

Ramesh, R., & Purvaja, G. R. (1999). Methane and climate variability; emission studies from coastal Wetlands of India. *82*, S. 39-53

Rawat, M. S., Haigh, M. J., Krecek, J., & Rawat, J. S. (1999). Dissolved load of a Central Himalayan forest headwater in an experimental catchment, India. *82*, S. 185-195

Safiullah, S., Khanal, D. P., Tareq, S. M., & Khan, M. M. K. (1999). Arsenic mobilization in groundwater; analysis and leaching experiments on aquifer soils of Bangladesh and Nepal. *82*, S. 125-130

Shivkumar, K. (1999). Water pollution in Andhra Pradesh, India; a review. *82*, S. 261-277

Silva, E. I. L. (1999). Status of surface water quality in Sri Lanka. *82*, S. 111-124

Soman, K. (1999). Physical setting and natural resource potential of the Western Ghats, India. *82*, S. 87-98

Wittkuhn, D. (1999). Dissolved and particulate organic matter in the rivers of Kerala, India. *82*, S. 235-243

83.1999

Bandel, K., Shinaq, R., & Nazzal, J. (1999). Palaeoecological and diagenetical significance of a silicified soft bottom fauna of Campanian age (Qatrana Unit, Jordan). *83*, S. 203-218

Bartholomaeus, W. A., & Helm, C. (1999). Erratische Geroelle in der hannoverschen Oberkreide. *83*, S. 115-128

Boettcher, M. (1999). Tektonik der Halbinsel Arauco und angrenzender Forearc-Bereiche (suedliches Zentral-Chile). *83*, S. 58

Buechsel, P., Burchards, E., Erlenkeuser, H., Hillmer, G., & Scholz, J. (1999). Sedimentschichten als Archiv der Regionalentwicklung des Grossraums Manila; Signale aus den Ablagerungen von Laguna de Bay/Philippinen. *83*, S. 89-102

Dagys, A., Bucher, H., & Weitschat, W. (1999). Intraspecific variation of *Parasibirites kolymensis* BYCHKOV (Ammonoidea) from the Lower Triassic (Spathian) of Arctic Asia. *83*, S. 163-178

Frahm, J.-P. (1999). Die Laubmoosflora des Baltischen und Bitterfelder Bernsteins. *83*, S. 219-238

Fryda, J. (1999). Shape convergence in gastropod shells; an example from the Early Devonian *Plectonotus* (*Boucotonotus*) - Palaeozygopleura community of the Prague Basin (Bohemia). *83*, S. 179-190

Heidelberger, D., & Bandel, K. (1999). Micromorph gastropoda from the Middle Devonian (Givetian) limestone of the Soetenich Syncline (Eifel). *83*, S. 129-162

- Helm, C., & Richter, U.** (1999). *Onchotrochus minimus* (BOELSCHE) - eine scolecoide, an Weichboeden angepasste Koralle (boreale Oberkreide). *83*, S. 191-202
- Herczek, A., & Popov, Y. A.** (1999). On plant bugs from the Baltic amber (Heteroptera; Miridae, Cylapinae) based on the old type species. *83*, S. 249-262
- Mardones, M., & Reuther, C.-D.** (1999). Geomorphological aspects of the drainage pattern around Lake Lanalhue and Lake Lleulleu in the active convergent margin setting of South-Central Chile. *83*, S. 75-88
- Mutakyahwa, M., Schumann, A., & Hachmann, W.** (1999). Weathering behaviour of a cristobalite bearing trachyte, N-Tanzania. *83*, S. 103-114
- Podenas, S.** (1999). New Cheilotrichia crane flies (Diptera, Limoniidae) from Baltic amber. *83*, S. 239-248
- Reicherter, K.** (1999). Results from paleostress analysis of the Granada Basin (Southern Spain). *83*, S. 59-74

84.2000

- Arillo, A., & Subias, L. S.** (2000). A new fossil oribatid mite, *Archaeorchestes minguezae* n. gen. n. sp. from the Spanish Lower Cretaceous amber; description of a new family Archaeorchestidae (Acariformes, Oribatida, Zetorchestoidea). *84*, S. 231-236
- Bandel, K.** (2000). Speciation among the Melanopsidae (Caenogastropoda); special emphasis to the Melanopsidae of the Pannonian Lake at Pontian time (late Miocene) and the Pleistocene and Recent of Jordan. *84*, S. 131-208
- Bandel, K., & Kiel, S.** (2000). Earliest known (Campanian) members of the Vermetidae, Provannidae and Litiopidae (Cerithioidea, Gastropoda), and a discussion of their possible relationships. *84*, S. 209-218
- Bandel, K., Reicherter, K., Dyrssen, U., & Reiss, S.** (2000). Late Neogene lacustrine sedimentary facies and gastropod assemblages (Granada Basin, southern Spain). *84*, S. 111-130
- Lindhorst, D.** (2000). Biometrische Untersuchungen an der Gattung *Stolleyites* Arkhipov, 1974 (Nathorstiidae, Ceatitina) aus der Oberen Trias (Unter-Karn) Spitzbergen. Translated Title: Biometric investigations of the genus *Stolleyites* (Nathorstiidae, Ceatitina) from the Upper Triassic, lower Carnian, in Spitzbergen. *84*, S. 64
- Lourenco, W. R., & Weitschat, W.** (2000). New fossil scorpions from the Baltic amber; implications for Cenozoic biodiversity. *84*, S. 247-260
- Podenas, S.** (2000). New Thaumastoptera MIK, 1896 (Diptera, Limoniidae) from the Jordan amber (Lower Cretaceous). *84*, S. 237-240

Potent, S., & Reuther, C.-D. (2000). Kinematik der Faltungs- und Ueberschiebungsprozesse der variszisch angelegten Montuerto-Struktur im suedlichen Kantabrischen Gebirge, Nord-Spanien. Translated Title: Kinematics of the fold and overthrust processes of the Variscan-induced Montuerto structure in the southern Cantabrian Mountains, northern Spain. *84*, S. 83-110

Reicherter, K., Reuther, C.-D., Dyrssen, U., Buurman, N., & Schmidt, A. (2000). Oberflaechennahe Bohrlochaufweitungsversuche und in-situ Deformationsmessungen; Methodik und Versuche in karbonatischen Gesteinen der Betischen Kordillere (S-Spanien). Translated Title: Surficial borehole-widening tests and in situ deformation measurements; methods and investigations in carbonates of the Betic Cordillera, southern Spain. *84*, S. 65-82

Schliephake, G. (2000). Neue Fransenfluegler aus dem Baltischen und Bitterfelder Bernstein (Insecta; Thysanoptera). Translated Title: New thrips (Insecta, Thysanoptera) from the Baltic and Bitterfeld ambers. *84*, S. 219-230

Wichard, W. (2000). Die Larve einer Koecherfliege im Baltischen Bernstein (Insecta, Trichoptera). Translated Title: The larva of a caddisfly (Insecta, Trichoptera) in Baltic amber. *84*, S. 261-266

Wichard, W. (2000). Koecherfliegen des Dominikanischen Bernsteins; XI, Ochrotrichia aleceae n. sp., eine neue fossile Hydroptilidae (Insecta, Trichoptera). Translated Title: Caddisflies from Dominican amber; XI, Ochrotrichia aleceae n. sp., a new Hydroptilidae fossil (Insecta, Trichoptera). *84*, S. 241-246

85.2001

Bandel, K. (2001). History of Theodoxus and Neritina connected with description and systematic evaluation of related Neritimorpha (Gastropoda). *85*, S. 65-164

Blazhchishin, A. I. (2001). Submarine amber-rearing deposits in the south-eastern Baltic. *85*, S. 203-210

Golub, V. B. (2001). Archepopovia yurii n. gen. n. sp. a new remarkable lace bug from Baltic amber, with some notes on phylogeny and classification of Tingidae (Heteroptera, Tingidae). *85*, S. 263-276

Kaup, A., Falin, Z., & Nagel, P. (2001). An annotated catalogue of fossil Ripiphoridae, taxonomic notes, and the description of a new genus and species from Baltic amber (Coleoptera, Ripiphoridae, Ripidiinae). *85*, S. 165-195

Lourenco, W. R., & Weitschat, W. (2001). Description of another fossil scorpion from Baltic amber, with considerations on the evolutionary levels of Cenozoic Buthoidea. *85*, S. 277-283

Popov, Y. A. (2001). Fossil piesmatids from Baltic amber (Heteroptera, Pentatomomorpha, Piesmatidae). *85*, S. 211-220

- Potent, S., & Reuther, C.-D.** (2001). Neogene Deformationsprozesse im aktiven magmatischen Bogen Suedzentralchiles zwischen 37 und 39S. Translated Title: Neogene deformation processes in active magmatic arcs of south-central Chile between 37 and 39 degrees S. *85*, S. 22
- Scheller, U., & Wunderlich, J.** (2001). First description of a fossil pauropod, *Eopauropus balticus* n. gen. n. sp. (Pauropoda, Pauropodidae), in Baltic amber. *85*, S. 221-227
- Schliephake, G.** (2001). Weitere neue Funde fossiler Fransenfluegler aus dem Baltischen Bernstein (Insecta, Thysanoptera). Translated Title: Further new discoveries of fossil thrips (Insecta, Thysanoptera) in Baltic amber. *85*, S. 197-201
- van Konijnenburg-van Cittert, J. H. A., & Bandel, K.** (2001). Jurassic plants from Djebel Tih, Sinai. *85*, S. 47-64
- Vinx, R., & Voigt, E.** (2001). Freiliegendes Harzgrundgebirge schon im Mittel-Cenoman? Neubewertung von Gastrolithen aus Baddeckenstedt (noerdliches Harzvorland). Translated Title: Did Harz basement rocks already exist in the middle Cenomanian? New assessment of gastroliths from Baddeckenstedt, northern Harz Foreland. *85*, S. 23-46
- Zompro, O.** (2001). The Phasmatodea and *Raptophasma* n. gen., Orthoptera incertae sedis, in Baltic amber (Insecta, Orthoptera). *85*, S. 229-261

86.2002

- Bandel, K.** (2002). About the *Heterostropha* (Gastropoda) from the Carboniferous and Permian. *86*, S. 45-80
- Bandel, K.** (2002). Reevaluation and classification of Carboniferous and Permian Gastropoda belonging to the Caenogastropoda and their realtion. *86*, S. 81-188
- Coleman, C. O., & Ruffo, S.** (2002). Another discovery of a niphargid amphipod (Crustacea) in Baltic amber. *86*, S. 239-244
- Golub, V. B., & Popov, Y. A.** (2002). A new cantacaderid lace bug from Baltic amber, and a key to fossil Cenozoic species of the family Tingidae (Insecta: Heteroptera). *86*, S. 245-252
- Heiss, E.** (2002). *Weitschatiella elenae* gen. n., sp. n., in Baltischem Berstein (Heteroptera, Cantacaderidae). *86*, S. 221-228
- Kiel, S., & Aranda-Manteca, F. J.** (2002). The gastropods of the Coralliochama beds on Punta Bada (Late Cretaceous, northwestern Mexico) and a reconstruction of their paleoenvironment. *86*, S. 25-36
- Podenas, S.** (2002). New species of *Helius* crane flies (Diptera: Limoniidae) from Baltic amber (Eocene). *86*, S. 229-238

- Reuther, C.-D., Obermeyer, H., Reicherter, K., Reiss, S., Kaiser, A., Buchmann, T., Adam, J., Lohrmann, J., & Grasso, M.** (2002). Neotektonik und aktive Krustenspannungen in Südost-Sizilien und ihre Beziehungen zur regionalen Tektonik im Zentralen Mittelmeer. *86*, S. 1-24
- Szwedo, J., & Gebicki, C.** (2002). *Nastlopiinae* nov. subfam. to comprise *Nastlopija nigra* gen. and sp. n. from Eocene Baltic amber (Hemiptera: Cicadomorpha: Cicadellidae). *86*, S. 211-220
- Vávra, N.** (2002). Fossil resin ("amber") from the Paleocene of Renardodden (E Cape Lyell, West Spitsbergen, Svalbard). *86*, S. 263-277
- Weitschat, W., & Gruendel, J.** (2002). Eine agglutinierte Wurmröhre (Polychaeta, Sedentarida, Terebellomorpha) aus einem Geschiebe des Mittel-Lias (Domerium, spinatum-Zone) Norddeutschlands. *86*, S. 37-44
- Weitschat, W., Brandt, A., Coleman, C. O., Møller-Andersen, N., Myers, A. A., & Wichard, W.** (2002). Taphocoenosis of an extraordinary arthropod community in Baltic amber. *86*, S. 189-210
- Wichard, W.** (2002). Eine neue Schlammfliege aus dem Baltischen Bernstein (Megalopteran, Sialidae). *86*, S. 253-262

87.2003

- Anistratenko, V. V., Bandel, K., & Anistratenko, O. Yu.** (2003). On some rare trochoidean gastropods from the Miocene of the West Ukraine. *87*, S. 99-114
- Bandel, K.** (2003). Cretaceous volutid Neogastropoda from the Western Desert of Egypt and their place within the Neogastropoda (Mollusca). *87*, S. 73-98
- Baroni Urbani, C.** (2003). The Baltic amber species of *Prionomyrmex* (Hymenoptera, Formicidae). *87*, S. 141-146
- Frýda, J., & Blodgett, R. B.** (2003). *Silberlingiella*, a new purpurinid genus (Littorinoidea, Gastropoda) from the Late Middle Norian (Late Triassic) of the Clan Alpine Range, western Nevada. *87*, S. 47-54
- Frýda, J., Blodgett, R. B., & Stanley, G. D. Jr** (2003). New neritopsoidean gastropods (Neritimorpha) from the Late Triassic (Late Carnian – Early Norian) of the Wallowa Terrane, northeastern Oregon. *87*, S. 55-72
- Kohring, R., & Schlueter, T.** (2003). Gundolf Ernst – Ein Nachruf. *87*, S. 1-18
- Martin, E.** (2003). Intraspecific variation of *Dufrenoyia furcata* Sowerby (Ammonoidea, Ancylocerataceae, Deshayesitidae) from the Gargasian in the Vaucluse (Southern France). *87*, S. 115-124

- Podenas, S.** (2003). First fossil Eloeophila Rondani, 1856 (Diptera, Limoniidae) from Baltic amber (Eocene). *87*, S. 125-130
- Popov, Y. A.** (2003). New flower bugs from Baltic and Ukrainian amber (Heteroptera: Anthocoridae, Lyctocorinae). *87*, S. 183-202
- Popov, Y. A.** (2003). Some fossil Reduviidae in Baltic amber (Heteroptera: Cimicomorpha, Reduviidae). *87*, S. 159-170
- Schliephake, G.** (2003). Fossile Thysanoptera (Insecta) aus dem baltischen Bernstein. *87*, S. 171-182
- Schunk, R., Peterek, A., & Reuther, C.-D.** (2003). Untersuchungen zur quartären und rezenten Tektonik im Umfeld der Marienbader Störung und des Egerer Beckens (Tschechien) – erste Ergebnisse. *87*, S. 19-46
- Wichard, W.** (2003). Chauliodes, ein Großflügler im Baltischen Bernstein (Megaloptera, Corydalidae). *87*, S. 147-158
- Wichard, W., & Lüer, C.** (2003). Phylocentropus swolenskyi n. sp., eine Köcherfliege aus dem New Jersey Bernstein (Trichoptera, Dipseudopsidae). *87*, S. 131-140

88.2004

- Becker, R. T., & Weyer, D.** (2004). Bartzschiceras n. gen. (Ammonoidea) from the lower Tournaisian of southern France. *88*, S. 11-36
- Doguzhaeva, L. A., Mapes, R. H., & Mutvei, H.** (2004). Occurrence of ink in Paleozoic and Mesozoic coleoids (Cephalopoda). *88*, S. 145-156
- Doguzhaeva, L. A., Mutvei, H., Summesberger, H., & Dunca, E.** (2004). Bituminous soft body tissues in the body chamber of the Late Triassic ceratitid Austrotrachyceras from the Austrian Alps. *88*, S. 37-49
- Keupp, H., & Mitta, V. V.** (2004). Septenbildung bei Quenstedtoceras (Ammonoidea) von Saratov (Russland) unter anomalen Kammerdruckbedingungen. Translated Title: A septal structure in Quenstedtoceras (Ammonoidea) from Saratov, Russia, under anomalous pressure chamber conditions. *88*, S. 51-62
- Klug, C.** (2004). Mature modifications, the black band, the black aperture, the black stripe, and the periostracum in cephalopods from the upper Muschelkalk (Middle Triassic, Germany). *88*, S. 63-78
- Korn, D., Klug, C., & Mapes, R. H.** (2004). Cuboid Carboniferous ammonoids. *88*, S. 79-97
- Kossler, A., & Groeschke, M.** (2004). Early Callovian reineckeids from the back-arc basin of northern Chile. *88*, S. 99-114

Kroeger, B., & Mapes, R. H. (2004). Soft-body attachment structures at *Bactrites arkonensis* Whiteaves, 1898 (Bactritida, Cephalopoda) from the Middle Devonian of Ontario, Canada. *88*, S. 115-124

Mitta, V. V., & Keupp, H. (2004). Ammoniten-Kiefer aus dem Callovium Russlands. Translated Title: Ammonite jaws from the Callovian in Russia. *88*, S. 125-134

Mutvei, H., Weitschat, W., Doguzhaeva, L. A., & Dunca, E. (2004). Connecting ring with pore canals in two genera of Mesozoic ammonoids. *88*, S. 135-144

Rieber, H., & Brack, P. (2004). Taxonomy and stratigraphic significance of *Falsanolcites* gen. nov., Anolcites-like Middle Triassic Ammonoidea from the Alps and Greece. *88*, S. 157-178

Shigeta, Y., & Weitschat, W. (2004). Origin of the Ammonitina (Ammonoidea) inferred from the internal shell features. *88*, S. 179-194

Zakharov, Y. D., Melnikov, M. E., Khudik, V. D., Punina, T. A., Pletnev, S. P., & Cmyshlyayeva, O. P. (2004). New findings of ammonoid shells (Cephalopoda) in ocean floor deposits. *88*, S. 195-204

89.2005

Bandel, K. (2005). Living fossils among tiny Allogastropoda with high and slender shell from the reef environment of the Gulf of Aqaba with remarks on fossil and Recent relatives. *89*, S. 24

Doguzhaeva, L. A. (2005). A gladius-bearing coleoid cephalopod from the Aptian of central Russia. *89*, S. 41-48

Golub, V. B., & Popov, Y. A. (2005). The third representative of the fossil genus *Intercader* from baltic amber (Insecta, Heteroptera; Tingidae, Cantacaderinae). *89*, S. 167-172

Kirejtshuk, A. G. (2005). A revision of the *Cupes* Fabricius, 1801 from Baltic amber and some notes on taxonomy and composition of the family Cupedidae (Coleoptera, Archostemata). *89*, S. 55-84

Korn, D. (2005). Carboniferous ammonoid stratigraphy based on poorly preserved material; a discussion of Becker & Weyer (2004). *89*, S. 49-54

Lourenco, W. R., Henderickx, H., & Weitschat, W. (2005). A new genus and species of fossil scorpion from Baltic amber (Scorpiones, Buthidae). *89*, S. 159-166

Lourenco, W. R., & Weitschat, W. (2005). First sub-fossil scorpion of the genus *Chactas* Gervais from Colombian copal (Scorpiones, Chactidae). *89*, S. 179-182

Lourenco, W. R., & Weitschat, W. (2005). A new genus and species of fossil scorpion from a different kind of Baltic amber (Scorpiones, Buthidae). *89*, S. 183-188

Martin, E. (2005). Dry hole risk evaluation in hydrocarbon exploration; an alternative probabilistic approach based on geological play-assessment. *89*, S. 25-40

- Podenas, S.** (2005). New Dactylolabis Osten-Sacken, 1860 (Diptera, Limoniidae) from Baltic amber (Eocene). *89*, S. 117-128
- Popov, Y. A., & Weitschat, W.** (2005). "Emesites" voighti n. gen. n. sp.; the first Emesina (Insecta; Heteroptera, Reduviidae) from the Borneo amber. *89*, S. 173-178
- Vahldiek, B.-W., & Wedmann, S.** (2005). Käferreste aus dem Eozän (Lutet) von Helmstedt (Niedersachsen, Deutschland). Translated Title: Beetles from the Eocene (Lutetian) of Helmstedt (Lower Saxony, Germany). *89*, S. 137-147
- Wichard, W., & Barnard, P. C.** (2005). Koecherfliegen im Baltischen Bernstein; 5, Nachweis der Gattung Triaenodes (Trichoptera, Leptoceridae). Translated Title: Caddisflies in Baltic amber; 5, Evidence of the genus Triaenodes (Trichoptera, Leptoceridae). *89*, S. 149-157
- Wichard, W., & Poinar, G. O., Jr.** (2005). Koecherfliegen aus dem Burma Bernstein der oberen Kreide von Myanmar (Insecta, Trichoptera). Translated Title: Caddisflies in Burmese amber from the Upper Cretaceous of Burma (Insecta, Trichoptera). *89*, S. 129-136
- Zompro, O.** (2005). Inter- and intra-ordinal relationships of the Mantophasmatodea, with comments on the phylogeny of polyneopteran orders (Insecta, Polyneoptera). *89*, S. 85-116

90.2006

- Berning, B.** (2006). The cheilostome bryozoan fauna from the Late Miocene of Niebla (Guadalquivir Basin, SW Spain): environmental and biogeographic implications (with 183 figures and 5 tables). *90*, S. 7-156
- Hillmer, G.** (2006). Ehrhard Voigt – Ein Nachruf. *90*, S. 1-6